


# G4

## 4" Miniature Line Voltage GU10 Non-IC Housing

LAMP WATTAGE: (1) MAXIMUM 120V 50W GU10



G4 - ITEM SELECTOR: (Please check the boxes below for the option desired)

| WATTAGE                                | TRIM TYPE                                   |                                             |                                |                                |                                |                                | BAFFLE                       | TRIM RING                                | MR 16 LENS FILTER                               |                                                   |
|----------------------------------------|---------------------------------------------|---------------------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|------------------------------|------------------------------------------|-------------------------------------------------|---------------------------------------------------|
| <input type="checkbox"/> 50W           | <input type="checkbox"/> B1451 <sup>1</sup> | <input type="checkbox"/> B1476 <sup>2</sup> | <input type="checkbox"/> B1483 | <input type="checkbox"/> B1442 | <input type="checkbox"/> B1412 | <input type="checkbox"/> B1477 | <input type="checkbox"/> W   | <input type="checkbox"/> WH              | <input type="checkbox"/> BP8MR16-BL (Blue)      | <input type="checkbox"/> BP8MR16-FR (Frosted)     |
|                                        | <input type="checkbox"/> B1453 <sup>1</sup> | <input type="checkbox"/> B1478              | <input type="checkbox"/> B1432 | <input type="checkbox"/> B1420 | <input type="checkbox"/> B1468 |                                | <input type="checkbox"/> P   | <input type="checkbox"/> BK              | <input type="checkbox"/> BP8MR16-GR (Green)     | <input type="checkbox"/> BP8MR16-SP (Spread)      |
|                                        | <input type="checkbox"/> B1454 <sup>1</sup> | <input type="checkbox"/> B1489              | <input type="checkbox"/> B1434 | <input type="checkbox"/> B1422 | <input type="checkbox"/> B1461 |                                | <input type="checkbox"/> SN  | <input type="checkbox"/> SN              | <input type="checkbox"/> BP8MR16-PI (Pink)      | <input type="checkbox"/> BP8MR16-SF (Soft Focus)  |
|                                        | <input type="checkbox"/> B1455 <sup>1</sup> | <input type="checkbox"/> B1479              | <input type="checkbox"/> B1435 | <input type="checkbox"/> B1426 | <input type="checkbox"/> B1403 |                                | <input type="checkbox"/> CP  | <input type="checkbox"/> CP              | <input type="checkbox"/> BP8MR16-PU (Purple)    | <input type="checkbox"/> BP8MR16-HC (Honey Comb)  |
| <b>VOLTAGE</b>                         | <input type="checkbox"/> B1456 <sup>1</sup> | <input type="checkbox"/> B1487              | <input type="checkbox"/> B1484 | <input type="checkbox"/> B1427 | <input type="checkbox"/> B1411 |                                | <input type="checkbox"/> BZ  | <input type="checkbox"/> CH              | <input type="checkbox"/> BP8MR16-DL (Day Light) | <input type="checkbox"/> BP8MR16-LI (Linear)      |
| <input type="checkbox"/> 120           | <input type="checkbox"/> B1457 <sup>1</sup> | <input type="checkbox"/> B1485              | <input type="checkbox"/> B1436 | <input type="checkbox"/> B1430 | <input type="checkbox"/> B1416 |                                | <b>REFLECTOR</b>             | <input type="checkbox"/> PB              | <input type="checkbox"/> BP8MR16-YE (Yellow)    | <input type="checkbox"/> BP8MR16-SOL (Solite)     |
|                                        | <input type="checkbox"/> B1458 <sup>1</sup> | <input type="checkbox"/> B1491              | <input type="checkbox"/> B1440 | <input type="checkbox"/> B1431 | <input type="checkbox"/> B1407 |                                | <input type="checkbox"/> CL  | <input type="checkbox"/> BZ              | <input type="checkbox"/> BP8MR16-AM (Amber)     | <input type="checkbox"/> BP8MR16-CL (Clear)       |
|                                        | <input type="checkbox"/> B1459 <sup>1</sup> | <input type="checkbox"/> B1480              | <input type="checkbox"/> B1441 | <input type="checkbox"/> B1462 | <input type="checkbox"/> B1414 |                                | <input type="checkbox"/> RG  | <input type="checkbox"/> CH <sup>1</sup> | <input type="checkbox"/> BP8MR16-OR (Orange)    | <input type="checkbox"/> BP8MR16-UV (Ultraviolet) |
| <b>OPTION</b>                          | <input type="checkbox"/> B1460 <sup>1</sup> | <input type="checkbox"/> B1495              | <input type="checkbox"/> B1421 | <input type="checkbox"/> B1452 | <input type="checkbox"/> B1415 |                                | <input type="checkbox"/> W   | <input type="checkbox"/> SS <sup>2</sup> | <input type="checkbox"/> BP8MR16-RE (Red)       |                                                   |
| <input type="checkbox"/> AT (Air-Shut) | <input type="checkbox"/> B1470 <sup>2</sup> | <input type="checkbox"/> B1490              | <input type="checkbox"/> B1424 | <input type="checkbox"/> B1437 | <input type="checkbox"/> B1404 |                                | <input type="checkbox"/> MB  |                                          |                                                 |                                                   |
|                                        | <input type="checkbox"/> B1471 <sup>2</sup> | <input type="checkbox"/> B1492              | <input type="checkbox"/> B1423 | <input type="checkbox"/> B1438 | <input type="checkbox"/> B1418 |                                | <input type="checkbox"/> BZ  |                                          |                                                 |                                                   |
|                                        | <input type="checkbox"/> B1472 <sup>2</sup> | <input type="checkbox"/> B1481              | <input type="checkbox"/> B1409 | <input type="checkbox"/> B1439 | <input type="checkbox"/> B1419 |                                | <input type="checkbox"/> CP  |                                          |                                                 |                                                   |
|                                        | <input type="checkbox"/> B1474 <sup>2</sup> | <input type="checkbox"/> B1494              | <input type="checkbox"/> B1425 | <input type="checkbox"/> B1401 | <input type="checkbox"/> B1433 |                                | <input type="checkbox"/> SN  |                                          |                                                 |                                                   |
|                                        | <input type="checkbox"/> B1475 <sup>2</sup> | <input type="checkbox"/> B1496              | <input type="checkbox"/> B1469 | <input type="checkbox"/> B1402 | <input type="checkbox"/> B1417 |                                | <input type="checkbox"/> SHZ |                                          |                                                 |                                                   |

1 = CH - Chrome finished • 2 = SS - Stainless Steel finished

### Specifications:

G4

WATT BALLAST VOLTAGE OPTION TRIM TYPE BAFFLE REFLECTOR TRIM/RING FILTER (1) FILTER (2)

Sample of Catalog Number: G4-50W-E-B1401-W-WH-BP8MR16-BL



Submittal form is available @ [www.iuseelite.com](http://www.iuseelite.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions  
subject to change without notice.

REV: ELITE LIGHTING-SPEC-05-24-2011

Catalog Number:

Project Name:

Type:

Note:



### DESCRIPTION

Small aperture line voltage, thermally protected, specification grade recessed housing. For new construction. Non-insulated ceilings or where insulation can be kept 3" from the housing. Accommodates up to 50W GU10 lamps. Furnished with preinstalled adjustable bar hangers. Junction box is provided with four ½" KOs, one ¾" KO and four Romex knockouts with strain relief.

### SPECIFICATION

**A. HOUSING** - High temperature painted 22 gauge deep drawn single piece housing. Adjusts vertically in plaster frame to accommodate ½" to 1-3/8" ceiling. Accommodates lamps up to 50W depending on trim used.

**B. SOCKET** - GU10 floating socket allows for lamp to snap into trim and provide secure lamp retention.

**C. BAR HANGERS** - Preinstalled bar hangers allow housing to be positioned and locked at any point within a 24" joist span and can be shortened for 12" joists. They contain a double-headed real nail for secure attachment into the joist. Bar hanger nails are installed on a 20° downward angle for better contact, and the 90° pivoting mounting plate makes installation fast and accurate. Bar hangers can fit onto T-Bar spline with additional slots and holes for special mounting methods if necessary.

**D. JUNCTION BOX** - listed for through-branch circuit wiring and has four ½" KOs, one ¾" KO and four Romex knockouts with true pry-out slots and strain clamps.

120V



GU10 SOCKET

### FEATURES

- Thermally Protected Non-IC housing.
- Designed for accent and task lighting applications.
- Wire through junction box.
- Preinstalled adjustable bar hanger.
- Dependable, favorable design and effortless installation.
- 5-½" height allows use in 2" x 6" joist construction.
- Special screw on the frame locks bar hangers in place which prevents the housing from any movement once installed.

### OPTIONS

#### 1. AIR-SHUT

- Gasket to prevent air flow from heated or air conditioned spaces.
- Meets all national air flow requirements.

### UL AND C-UL LISTED

For Damp location  
For Feed-through wiring

| BAFFLE          | REFLECTOR       | TRIM/RING       |
|-----------------|-----------------|-----------------|
| W White         | CL Chrome       | WH White        |
| P Black         | RG Gold         | BK Black        |
| SN Satin Nickel | W White         | SN Satin Nickel |
| CP Copper       | MB Black        | CP Copper       |
| BZ Bronze       | BZ Bronze       | CH Chrome       |
|                 | CP Copper       | PB Polish Brass |
|                 | SN Satin Nickel | BZ Bronze       |
|                 | SHZ Satin Haze  |                 |

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.

# 4" Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:

Project Name:

Type:

Note:

**elite** LIGHTING

**B1451CH  
RUBY I**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1453CH  
RUBY II**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1454CH  
SAPPHIRE I**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1455CH  
SAPPHIRE II**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1456CH  
EMERALD I**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1457CH  
EMERALD II**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1458CH  
TOPAZ I**




**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1459CH  
TOPAZ II**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1460CH  
ONYX**



**O.D.:** 4-7/8"  
**FINISH TRIM:** CH (CHROME)

**B1470SS  
ADJ. STAINLESS STEEL GIMBAL TRIM**



**O.D.:** 4-7/8"  
**FINISH TRIM:** SS (STAINLESS STEEL)

**B1471SS  
STAINLESS STEEL LENSED TRIM**



**O.D.:** 4-7/8"  
**FINISH TRIM:** SS (STAINLESS STEEL)

**B1472SS  
STAINLESS STEEL EYEBALL TRIM**



**O.D.:** 4-7/8"  
**FINISH TRIM:** SS (STAINLESS STEEL)

**B1474SS  
ADJ. STAINLESS STEEL SQUARE GIMBAL TRIM**



**O.D.:** 4-7/8"  
**FINISH TRIM:** SS (STAINLESS STEEL)

**B1475SS  
STAINLESS STEEL SQUARE EYEBALL TRIM**



**O.D.:** 4-7/8"  
**FINISH TRIM:** SS (STAINLESS STEEL)

**B1476SS  
ADJ. STAINLESS STEEL SQUARE EYEBALL TRIM**



**O.D.:** 4-7/8"  
**FINISH TRIM:** SS (STAINLESS STEEL)

**B1496SN  
SQUARE BAFFLE W/ SQUARE TRIM RING**



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**elite** LIGHTING

Submittal form is available @ [www.iuseelite.com](http://www.iuseelite.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions  
subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

4"

# Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:


Project Name:

Type:


Note:


**B1478SN-SN**  
**STEPPED BAFFLE (35° TILT)**


**BAFFLE FINISH:**  
 W, P, SN, CP, BZ




**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1479CL-WH**  
**REFLECTOR (35° TILT)**


**REFLECTOR FINISH:**  
 CL, RG, MB, W, CP, SN


**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1494WH-BLUE**  
**DESIGNER SQUARE STEP LITE**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB

**GLASS FINISH:**  
 BLUE, PEACH, GREEN,  
 FROSTED

**B1485W-WH**  
**EYEBALL (47° TILT)**


**AVAILABLE COLOR COMBINATIONS:**  
 CP-CP, SN-SN, W-WH,  
 P-WH, P-BK

**B1483WH**  
**SLOT APERTURE (35° TILT)**

**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1480WH**  
**FULLY ADJUSTABLE (35° TILT, 359° ROT.)**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1489W-WH**  
**ADJ. PINHOLE W/ BAFFLE (35° TILT)**


**AVAILABLE COLOR COMBINATIONS:**  
 W-WH, P-WH

**B1487WH**  
**ADJUSTABLE SPOT (40° TILT)**


**RING FINISH:**  
 WH, BK

**B1495CL-SN**  
**SEMI-FROSTED SHOWER TRIM**

**REFLECTOR FINISH:**  
 CL, RG, W, MB, CP, SN


**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1491P-WH**  
**PINHOLE WITH BAFFLE**

**AVAILABLE COLOR COMBINATIONS:**  
 CP-CP, SN-SN, W-WH,  
 P-WH, P-BK

**B1484P-WH**  
**FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)**


**AVAILABLE COLOR COMBINATIONS:**  
 W-WH, P-WH, P-BK,  
 CP-CP, SN-SN, BZ-BZ

**B1481WH**  
**ADJUSTABLE GIMBAL (40° TILT)**

**TRIM FINISH:**  
 WH, BK, SN, CP, CH,  
 PB, BZ

**B1492WH-BLUE**  
**METROPOLITAN ICE LITE**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB

**GLASS FINISH:**  
 BLUE, PEACH, GREEN,  
 CLEAR, AMBER, FROSTED

**B1490WH-PEACH**  
**METROPOLITAN ICE LITE**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB

**GLASS FINISH:**  
 BLUE, PEACH, GREEN,  
 CLEAR, AMBER, FROSTED

**B1401CP-CP**  
**STEPPED BAFFLE**

**BAFFLE FINISH:**  
 W, P, SN, CP, BZ

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1402CP-WH**  
**REFLECTOR (35° TILT)**

**REFLECTOR FINISH:**  
 CL, RG, W, MB, CP, SN, BZ

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ



 Submittal form is available @ [www.iuseelite.com](http://www.iuseelite.com)  
 Tel: 323-888-1973 • Fax: 323-888-1977

 Specifications and Dimensions  
 subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

# 4" Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:


Project Name:

Type:


Note:

**elite** LIGHTING


**B1411WH**  
SLOT APERTURE (35° TILT, 179° ROT)



**B1403CP**  
ONE PIECE SLOT APERTURE (35° TILT)




**B1416P-WH**  
BAFFLE WALL WASH




**B1407CL-WH**  
REFLECTOR WALL WASH



**B1414W-WH**  
PINHOLE WITH BAFFLE




**B1415CL-WH**  
PINHOLE WITH REFLECTOR



**B1404P-WH**  
EYEBALL (47° TILT)



**B1418P-WH**  
ADJ. PINHOLE W/ EYEBALL (35° TILT)




**B1412CH**  
FULLY ADJUSTABLE (35° TILT, 359° ROT.)



**B1468W-WH**  
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)




**B1461SN**  
ADJUSTABLE GIMBAL (40° TILT)




**B1419BK**  
ADJUSTABLE SPOT (40° TILT)




**B1433P-WH**  
ADJUSTABLE PINHOLE BAFFLE (15° TILT)




**B1417W-WH**  
METAL STEPPED BAFFLE



**B1426CL-WH**  
THE ILLUMINATOR II



**B1427CL-WH**  
THE ILLUMINATOR



4"

# Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:


Project Name:

Type:


Note:


**B1477CL-WH**  
**CROSSBLADE REFLECTOR**


**REFLECTOR FINISH:**  
 CL

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1462CL-WH**  
**SEMI-FROSTED SHOWER TRIM**


**REFLECTOR FINISH:**  
 CL, RG, W, MB, CP, SN

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1452CL-WH**  
**CLEAR LENS SHOWER TRIM**


**REFLECTOR FINISH:**  
 CL, RG, W, MB, CP, SN

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1437WH**  
**SMOOTH FROST SHOWER LITE**


**REFLECTOR FINISH:**  
 CL

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1438WH**  
**DESIGNER POINT SHOWER LITE**


**REFLECTOR FINISH:**  
 CL, RG, W, MB, CP, SN

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1439WH**  
**SMOOTH FROST DOME SHOWER LITE**


**REFLECTOR FINISH:**  
 CL

**RING FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**B1436WH**  
**CYLINDER LITE**



**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ


**GLASS FINISH:**  
 WHITE, PINK, BLUE, GREEN

**B1434WH**  
**STRIPE WALL WASH LITE**

**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ


**GLASS FINISH:**  
 CRYSTAL/FROST

**B1435WH**  
**STRIPE WALL WASH LITE**

**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ


**GLASS FINISH:**  
 CRYSTAL/FROST

**B1440WH-PINK**  
**TULIP LITE**

**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
 TEAL, PINK, LIME, BLUE

**B1441WH-LIME**  
**DESIGNER WALL WASH LITE**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
 TEAL, PINK, LIME, BLUE

**B1424WH-RED**  
**METROPOLITAN HONEY LITE**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
 BLUE, RED, WHITE, GREEN

**B1420WH-GREEN**  
**METROPOLITAN MOON LITE**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
 BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

**B1425WH-AMBER**  
**METROPOLITAN STEP LITE**


**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
 BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

**B1442WH-PEACH**  
**DESIGNER MOON LITE**

**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
 BLUE, PEACH, GREEN, FROSTED

**B1431WH**  
**CRYSTAL STRIPE LITE**

**TRIM FINISH:**  
 WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
 CRYSTAL/FROST



 Submittal form is available @ [www.iuseelite.com](http://www.iuseelite.com)  
 Tel: 323-888-1973 • Fax: 323-888-1977

 Specifications and Dimensions  
 subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

# 4" Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:

Project Name:

Type:

Note:


**elite** LIGHTING

## B1432WH WALL WASH FROST LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
WHITE, PINK, BLUE, GREEN




## B1421WH-FROSTED MINI-STEP LENS LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
FROSTED




## B1423WH-WHITE METROPOLITAN OPAL LENS LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
CRYSTAL, WHITE, FROSTED




## B1430WH CRYSTAL ROSE LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
CRYSTAL




## B1409WH-BLUE PYRAMID GLASS LITE




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
TEAL, PINK, LIME, BLUE




## B1469WH-BLUE DESIGNER STEP LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, PEACH, GREEN, FROSTED




## B1422WH-FROSTED METROPOLITAN ICE LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED



| BAFFLE                 | REFLECTOR              | TRIM RING              |
|------------------------|------------------------|------------------------|
| <b>W</b> White         | <b>CL</b> Chrome       | <b>WH</b> White        |
| <b>P</b> Black         | <b>RG</b> Gold         | <b>BK</b> Black        |
| <b>SN</b> Satin Nickel | <b>W</b> White         | <b>SN</b> Satin Nickel |
| <b>CP</b> Copper       | <b>MB</b> Black        | <b>CP</b> Copper       |
| <b>BZ</b> Bronze       | <b>CP</b> Copper       | <b>CH</b> Chrome       |
|                        | <b>SN</b> Satin Nickel | <b>PB</b> Polish Brass |
|                        |                        | <b>BZ</b> Bronze       |

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.