

G4IC

4" Miniature Line Voltage GU10 IC Housing

LAMP WATTAGE: (1) MAXIMUM 120V 50W GU10


Catalog Number:

Project Name:


Type:

Note:

elite LIGHTING



DESIGNED FOR 2" X 6" JOIST CONSTRUCTION



DESCRIPTION

Small aperture, line voltage, thermally protected IC rated, specification grade recessed housing designed for new construction. Accommodates up to 50W GU10 lamps. Furnished with preinstalled adjustable bar hangers. Junction box is provided with four 1/2" KOs, one 3/4" KO and four Romex knockouts with strain relief.

SPECIFICATION

A. OUTER HOUSING - Die-formed aluminum construction for maximum heat dissipating air chamber on top of the housing. Junction box could be accessed from inside and outside housing.

B. INNER HOUSING - Deep-drawn single piece aluminum construction for maximum heat dissipation and rust protection. Adjusts vertically in plaster frame to accommodate 1/2" to 1-3/8" ceiling.

C. SOCKET - GU10 floating socket allows for lamp to snap into trim and provide secure lamp retention.

D. BAR HANGERS - Preinstalled bar hangers allow housing to be positioned and locked at any point within a 24" joist span and can be shortened for 12" joists. Integral bar hanger nailers are designed to be hammered directly into the joist without additional nails or screws and makes installation fast and accurate. Bar hangers can fit onto T-Bar spline with additional slots and holes for special mounting methods if necessary.

E. JUNCTION BOX - UL listed for through-branch circuit wiring and has four 1/2" KOs, one 3/4" KO and four Romex knockouts with true pry-out slots and strain clamps.

120V



GU10 SOCKET

FEATURES

- Thermally Protected IC housing.
- Designed for accent and task lighting applications.
- Wire through junction box.
- Preinstalled adjustable bar hangers.
- Dependable, favorable design and effortless installation.
- 7-1/4" height allows use in 2" x 8" joist construction.
- Special screw on the frame locks bar hangers in place which prevents the housing from any movement once installed.

OPTIONS

1. AIR-SHUT

- Gasket to prevent air flow from heated or air conditioned spaces.
- Meets all national air flow requirements.

UL AND C-UL LISTED

For Damp location
For Feed-through wiring
For Direct contact with insulation

SAME DAY SHIPPING

PROUDLY ASSEMBLED in AMERICA

UL LISTED

G4IC - ITEM SELECTOR: (Please check the boxes below for the option desired)

WATTAGE	TRIM TYPE	BAFFLE	TRIM RING	MR 16 LENS FILTER
☐ 50W	☐ B1451 ¹ ☐ B1476 ² ☐ B1483 ☐ B1442 ☐ B1412 ☐ B1477	☐ W ☐ P ☐ SN ☐ CP ☐ BZ	☐ WH ☐ BK ☐ SN ☐ CP ☐ CH	☐ BP8MR16-BL (Blue) ☐ BP8MR16-FR (Frosted) ☐ BP8MR16-GR (Green) ☐ BP8MR16-SP (Spread) ☐ BP8MR16-PI (Pink) ☐ BP8MR16-SF (Soft Focus) ☐ BP8MR16-PU (Purple) ☐ BP8MR16-HC (Honey Comb) ☐ BP8MR16-DL (Day Light) ☐ BP8MR16-LI (Linear) ☐ BP8MR16-YE (Yellow) ☐ BP8MR16-SOL (Solite) ☐ BP8MR16-AM (Amber) ☐ BP8MR16-CL (Clear) ☐ BP8MR16-OR (Orange) ☐ BP8MR16-UV (Ultraviolet) ☐ BP8MR16-RE (Red)
VOLTAGE	☐ B1456 ¹ ☐ B1487 ☐ B1484 ☐ B1427 ☐ B1411	REFLECTOR	☐ PB	
☐ 120	☐ B1457 ¹ ☐ B1485 ☐ B1436 ☐ B1430 ☐ B1416 ☐ B1458 ¹ ☐ B1491 ☐ B1440 ☐ B1431 ☐ B1407 ☐ B1459 ¹ ☐ B1480 ☐ B1441 ☐ B1462 ☐ B1414 ☐ B1460 ¹ ☐ B1495 ☐ B1421 ☐ B1452 ☐ B1415	☐ CL ☐ RG ☐ W ☐ MB ☐ BZ ☐ CP ☐ SN ☐ SHZ	☐ BZ ☐ CH ¹ ☐ SS ²	
OPTION	☐ B1470 ² ☐ B1490 ☐ B1424 ☐ B1437 ☐ B1404 ☐ B1471 ² ☐ B1492 ☐ B1423 ☐ B1438 ☐ B1418 ☐ B1472 ² ☐ B1481 ☐ B1409 ☐ B1439 ☐ B1419 ☐ B1474 ² ☐ B1494 ☐ B1425 ☐ B1401 ☐ B1433 ☐ B1475 ² ☐ B1496 ☐ B1469 ☐ B1402 ☐ B1417			
☐ AT (Air-Shut)				

1 = CH - Chrome finished • 2 = SS - Stainless Steel finished

BAFFLE	REFLECTOR	TRIM/RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	BZ Bronze	CH Chrome
	CP Copper	PB Polish Brass
	SN Satin Nickel	BZ Bronze
	SHZ Satin Haze	

Specifications:

G4IC

WATT BALLAST VOLTAGE OPTION TRIM TYPE BAFFLE REFLECTOR TRIM/RING FILTER (1) FILTER (2)

Sample of Catalog Number: G4IC-50W-E-B1401-W-WH-BP8MR16-BL

elite LIGHTING

Submittal form is available @ www.iuseelite.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: ELITE LIGHTING-SPEC-05-24-2011

4" Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:

Project Name:

Type:

Note:

elite LIGHTING

**B1451CH
RUBY I**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1453CH
RUBY II**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1454CH
SAPPHIRE I**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1455CH
SAPPHIRE II**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1456CH
EMERALD I**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1457CH
EMERALD II**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1458CH
TOPAZ I**




O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1459CH
TOPAZ II**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1460CH
ONYX**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1470SS
ADJ. STAINLESS STEEL GIMBAL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1471SS
STAINLESS STEEL LENSED TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1472SS
STAINLESS STEEL EYEBALL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1474SS
ADJ. STAINLESS STEEL SQUARE GIMBAL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1475SS
STAINLESS STEEL SQUARE EYEBALL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1476SS
ADJ. STAINLESS STEEL SQUARE EYEBALL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1496SN
SQUARE BAFFLE W/ SQUARE TRIM RING**



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

elite LIGHTING

Submittal form is available @ www.iuseelite.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: MAXLUME-SPEC-05-26-2011

4"

Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:


Project Name:

Type:


Note:


B1478SN-SN
STEPPED BAFFLE (35° TILT)


BAFFLE FINISH:
 W, P, SN, CP, BZ


RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1479CL-WH
REFLECTOR (35° TILT)


REFLECTOR FINISH:
 CL, RG, MB, W, CP, SN


RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1494WH-BLUE
DESIGNER SQUARE STEP LITE




TRIM FINISH:
 WH, BK, SN, CP, CH, PB

GLASS FINISH:
 BLUE, PEACH, GREEN, FROSTED

B1485W-WH
EYEBALL (47° TILT)




AVAILABLE COLOR COMBINATIONS:
 CP-CP, SN-SN, W-WH, P-WH, P-BK

B1483WH
SLOT APERTURE (35° TILT)


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1480WH
FULLY ADJUSTABLE (35° TILT, 359° ROT.)


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1489W-WH
ADJ. PINHOLE W/ BAFFLE (35° TILT)

AVAILABLE COLOR COMBINATIONS:
 W-WH, P-WH

B1487WH
ADJUSTABLE SPOT (40° TILT)

RING FINISH:
 WH, BK

B1495CL-SN
SEMI-FROSTED SHOWER TRIM


REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1491P-WH
PINHOLE WITH BAFFLE

AVAILABLE COLOR COMBINATIONS:
 CP-CP, SN-SN, W-WH, P-WH, P-BK

B1484P-WH
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)


AVAILABLE COLOR COMBINATIONS:
 W-WH, P-WH, P-BK, CP-CP, SN-SN, BZ-BZ

B1481WH
ADJUSTABLE GIMBAL (40° TILT)

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1492WH-BLUE
METROPOLITAN ICE LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB

GLASS FINISH:
 BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

B1490WH-PEACH
METROPOLITAN ICE LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB

GLASS FINISH:
 BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

B1401CP-CP
STEPPED BAFFLE

BAFFLE FINISH:
 W, P, SN, CP, BZ

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1402CP-WH
REFLECTOR (35° TILT)

REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN, BZ

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ



 Submittal form is available @ www.iuseelite.com
 Tel: 323-888-1973 • Fax: 323-888-1977

 Specifications and Dimensions
 subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

4" Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:


Project Name:

Type:


Note:

elite LIGHTING


B1411WH
SLOT APERTURE (35° TILT, 179° ROT)



B1403CP
ONE PIECE SLOT APERTURE (35° TILT)




B1416P-WH
BAFFLE WALL WASH




B1407CL-WH
REFLECTOR WALL WASH



B1414W-WH
PINHOLE WITH BAFFLE




B1415CL-WH
PINHOLE WITH REFLECTOR



B1404P-WH
EYEBALL (47° TILT)



B1418P-WH
ADJ. PINHOLE W/ EYEBALL (35° TILT)




B1412CH
FULLY ADJUSTABLE (35° TILT, 359° ROT.)



B1468W-WH
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)




B1461SN
ADJUSTABLE GIMBAL (40° TILT)




B1419BK
ADJUSTABLE SPOT (40° TILT)




B1433P-WH
ADJUSTABLE PINHOLE BAFFLE (15° TILT)




B1417W-WH
METAL STEPPED BAFFLE



B1426CL-WH
THE ILLUMINATOR II



B1427CL-WH
THE ILLUMINATOR



4"

Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:


Project Name:

Type:


Note:

B1477CL-WH
CROSSBLADE REFLECTOR


REFLECTOR FINISH:
 CL

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1462CL-WH
SEMI-FROSTED SHOWER TRIM


REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1452CL-WH
CLEAR LENS SHOWER TRIM


REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1437WH
SMOOTH FROST SHOWER LITE


REFLECTOR FINISH:
 CL

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1438WH
DESIGNER POINT SHOWER LITE


REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1439WH
SMOOTH FROST DOME SHOWER LITE


REFLECTOR FINISH:
 CL

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1436WH
CYLINDER LITE



TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ


GLASS FINISH:
 WHITE, PINK, BLUE, GREEN

B1434WH
STRIPE WALL WASH LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ


GLASS FINISH:
 CRYSTAL/FROST

B1435WH
STRIPE WALL WASH LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ


GLASS FINISH:
 CRYSTAL/FROST

B1440WH-PINK
TULIP LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 TEAL, PINK, LIME, BLUE

B1441WH-LIME
DESIGNER WALL WASH LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 TEAL, PINK, LIME, BLUE

B1424WH-RED
METROPOLITAN HONEY LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, RED, WHITE, GREEN

B1420WH-GREEN
METROPOLITAN MOON LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, PEACH, GREEN, CLEAR,
 AMBER, FROSTED

B1425WH-AMBER
METROPOLITAN STEP LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, PEACH, GREEN, CLEAR,
 AMBER, FROSTED

B1442WH-PEACH
DESIGNER MOON LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, PEACH, GREEN,
 FROSTED

B1431WH
CRYSTAL STRIPE LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 CRYSTAL/FROST


 Submittal form is available @ www.iuseelite.com
 Tel: 323-888-1973 • Fax: 323-888-1977

 Specifications and Dimensions
 subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

4" Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:

Project Name:

Type:

Note:


elite LIGHTING

B1432WH WALL WASH FROST LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
WHITE, PINK, BLUE, GREEN




B1421WH-FROSTED MINI-STEP LENS LITE



FOR
WET
LOCATION

TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
FROSTED




B1423WH-WHITE METROPOLITAN OPAL LENS LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
CRYSTAL, WHITE, FROSTED




B1430WH CRYSTAL ROSE LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
CRYSTAL




B1409WH-BLUE PYRAMID GLASS LITE




TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
TEAL, PINK, LIME, BLUE




B1469WH-BLUE DESIGNER STEP LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
BLUE, PEACH, GREEN, FROSTED




B1422WH-FROSTED METROPOLITAN ICE LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED



BAFFLE	REFLECTOR	TRIM RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	CP Copper	CH Chrome
	SN Satin Nickel	PB Polish Brass
		BZ Bronze

*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.