

G4R

4" Miniature Line Voltage GU10 Non-IC Housing

LAMP WATTAGE: (1) MAXIMUM 120V 50W GU10

Catalog Number:

Project Name:

Type:



Note:

elite LIGHTING

NEW



DESIGNED FOR 2" X 6" JOIST CONSTRUCTION



DESCRIPTION

Small aperture line voltage, thermally protected remodel housing. For fast and easy installation in existing plaster or mechanical ceilings from 1/2" to 1-3/8" thick. Three remodel clips are easily retractable for fixture removal if necessary. Accommodates up to 50W GU10 lamps. Junction box is provided with eight 1/2" KOs, and four Romex knockouts with strain relief.

SPECIFICATION

A. HOUSING - High temperature painted 22 gauge deep drawn single piece housing. Accommodates lamps up to 50W depending on trim used.

B. SOCKET - GU10 floating socket allows for lamp to snap into trim and provide secure lamp retention.

C. JUNCTION BOX - listed for through-branch circuit wiring and has eight 1/2" KOs and four Romex knock-outs with strain relief.

D. INSTALLATION - Three preinstalled spring clips which secure the housing firmly into ceiling to accommodate different ceiling thickness from 1/2" to 1-3/8".

FEATURES

- Thermally Protected Non-IC remodel housing.
- Can be installed from below the ceiling.
- Four preinstalled spring clips which secure the housing firmly into ceiling to accommodate different ceiling thicknesses from 1/2" to 1-3/8".
- Designed for accent and task lighting applications
- Dependable, favorable design and effortless installation.
- 5-1/2" height allows use in 2" x 6" joist construction
- Unit clips through 4-3/4" ceiling opening.

120V



GU10 SOCKET

OPTIONS

1. AIR-SHUT

- Gasket to prevent air flow from heated or air conditioned spaces.
- Meets all national air flow requirements.

UL AND C-UL LISTED

For Damp location
For Feed-through wiring

SAME DAY
SHIPPING

PROUDLY
ASSEMBLED in
AMERICA

UL LISTED

G4R - ITEM SELECTOR: (Please check the boxes below for the option desired)

WATTAGE	TRIM TYPE	BAFFLE	TRIM RING	MR 16 LENS FILTER
☐ 50W	☐ B1451 ¹ ☐ B1476 ² ☐ B1483 ☐ B1442 ☐ B1412 ☐ B1477 ☐ B1453 ¹ ☐ B1478 ☐ B1432 ☐ B1420 ☐ B1468 ☐ B1454 ¹ ☐ B1489 ☐ B1434 ☐ B1422 ☐ B1461 ☐ B1455 ¹ ☐ B1479 ☐ B1435 ☐ B1426 ☐ B1403 ☐ B1456 ¹ ☐ B1487 ☐ B1484 ☐ B1427 ☐ B1411	☐ W ☐ WH ☐ P ☐ BK ☐ SN ☐ SN ☐ CP ☐ CP ☐ BZ ☐ CH REFLECTOR ☐ CL ☐ PB ☐ RG ☐ CH ¹ ☐ W ☐ SS ² ☐ MB ☐ BZ ☐ CP ☐ SN ☐ SHZ	☐ WH ☐ BK ☐ SN ☐ CP ☐ CH ☐ PB ☐ BZ ☐ CH ¹ ☐ SS ²	☐ BP8MR16-BL (Blue) ☐ BP8MR16-FR (Frosted) ☐ BP8MR16-GR (Green) ☐ BP8MR16-SP (Spread) ☐ BP8MR16-PI (Pink) ☐ BP8MR16-SF (Soft Focus) ☐ BP8MR16-PU (Purple) ☐ BP8MR16-HC (Honey Comb) ☐ BP8MR16-DL (Day Light) ☐ BP8MR16-LI (Linear) ☐ BP8MR16-YE (Yellow) ☐ BP8MR16-SOL (Solite) ☐ BP8MR16-AM (Amber) ☐ BP8MR16-CL (Clear) ☐ BP8MR16-OR (Orange) ☐ BP8MR16-UV (Ultraviolet) ☐ BP8MR16-RE (Red)
VOLTAGE	☐ B1457 ¹ ☐ B1485 ☐ B1436 ☐ B1430 ☐ B1416 ☐ B1458 ¹ ☐ B1491 ☐ B1440 ☐ B1431 ☐ B1407 ☐ B1459 ¹ ☐ B1480 ☐ B1441 ☐ B1462 ☐ B1414 ☐ B1460 ¹ ☐ B1495 ☐ B1421 ☐ B1452 ☐ B1415			
☐ 120	☐ B1470 ² ☐ B1490 ☐ B1424 ☐ B1437 ☐ B1404 ☐ B1471 ² ☐ B1492 ☐ B1423 ☐ B1438 ☐ B1418 ☐ B1472 ² ☐ B1481 ☐ B1409 ☐ B1439 ☐ B1419 ☐ B1474 ² ☐ B1494 ☐ B1425 ☐ B1401 ☐ B1433 ☐ B1475 ² ☐ B1496 ☐ B1469 ☐ B1402 ☐ B1417			
OPTION				
☐ AT (Air-Shut)				

¹ = CH - Chrome finished • ² = SS - Stainless Steel finished

BAFFLE	REFLECTOR	TRIM/RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	BZ Bronze	CH Chrome
	CP Copper	PB Polish Brass
	SN Satin Nickel	BZ Bronze
	SHZ Satin Haze	

Specifications:

G4R

WATT BALLAST VOLTAGE OPTION TRIM TYPE BAFFLE REFLECTOR TRIM/RING FILTER (1) FILTER (2)

Sample of Catalog Number: **G4R-50W-E-B1401-W-WH-BP8MR16-BL**

elite LIGHTING

Submittal form is available @ www.iuseelite.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: ELITE LIGHTING-SPEC-05-24-2011

4" Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:

Project Name:

Type:

Note:

elite LIGHTING

**B1451CH
RUBY I**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1453CH
RUBY II**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1454CH
SAPPHIRE I**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1455CH
SAPPHIRE II**




O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1456CH
EMERALD I**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1457CH
EMERALD II**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1458CH
TOPAZ I**




O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1459CH
TOPAZ II**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1460CH
ONYX**



O.D.: 4-7/8"
FINISH TRIM: CH (CHROME)

**B1470SS
ADJ. STAINLESS STEEL GIMBAL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1471SS
STAINLESS STEEL LENSED TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1472SS
STAINLESS STEEL EYEBALL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1474SS
ADJ. STAINLESS STEEL SQUARE GIMBAL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1475SS
STAINLESS STEEL SQUARE EYEBALL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1476SS
ADJ. STAINLESS STEEL SQUARE EYEBALL TRIM**



O.D.: 4-7/8"
FINISH TRIM: SS (STAINLESS STEEL)

**B1496SN
SQUARE BAFFLE W/ SQUARE TRIM RING**



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

elite LIGHTING

Submittal form is available @ www.iuseelite.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: MAXLUME-SPEC-05-26-2011

4"

Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:


Project Name:

Type:


Note:

**B1478SN-SN
STEPPED BAFFLE (35° TILT)**


BAFFLE FINISH:
W, P, SN, CP, BZ




RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1479CL-WH
REFLECTOR (35° TILT)**


REFLECTOR FINISH:
CL, RG, MB, W, CP, SN




RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1494WH-BLUE
DESIGNER SQUARE STEP LITE**

TRIM FINISH:
WH, BK, SN, CP, CH, PB




GLASS FINISH:
BLUE, PEACH, GREEN, FROSTED

**B1485W-WH
EYEBALL (47° TILT)**


AVAILABLE COLOR COMBINATIONS:
CP-CP, SN-SN, W-WH, P-WH, P-BK

**B1483WH
SLOT APERTURE (35° TILT)**

TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1480WH
FULLY ADJUSTABLE (35° TILT, 359° ROT.)**


TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1489W-WH
ADJ. PINHOLE W/ BAFFLE (35° TILT)**

AVAILABLE COLOR COMBINATIONS:
W-WH, P-WH

**B1487WH
ADJUSTABLE SPOT (40° TILT)**

RING FINISH:
WH, BK

**B1495CL-SN
SEMI-FROSTED SHOWER TRIM**


REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1491P-WH
PINHOLE WITH BAFFLE**

AVAILABLE COLOR COMBINATIONS:
CP-CP, SN-SN, W-WH, P-WH, P-BK

**B1484P-WH
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)**


AVAILABLE COLOR COMBINATIONS:
W-WH, P-WH, P-BK, CP-CP, SN-SN, BZ-BZ

**B1481WH
ADJUSTABLE GIMBAL (40° TILT)**

TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1492WH-BLUE
METROPOLITAN ICE LITE**


TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

**B1490WH-PEACH
METROPOLITAN ICE LITE**


TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

**B1401CP-CP
STEPPED BAFFLE**

BAFFLE FINISH:
W, P, SN, CP, BZ

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1402CP-WH
REFLECTOR (35° TILT)**

REFLECTOR FINISH:
CL, RG, W, MB, CP, SN, BZ

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


Submittal form is available @ www.iuseelite.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

4" Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:


Project Name:

Type:


Note:

elite LIGHTING


B1411WH
SLOT APERTURE (35° TILT, 179° ROT)



B1403CP
ONE PIECE SLOT APERTURE (35° TILT)




B1416P-WH
BAFFLE WALL WASH




B1407CL-WH
REFLECTOR WALL WASH



B1414W-WH
PINHOLE WITH BAFFLE




B1415CL-WH
PINHOLE WITH REFLECTOR



B1404P-WH
EYEBALL (47° TILT)



B1418P-WH
ADJ. PINHOLE W/ EYEBALL (35° TILT)




B1412CH
FULLY ADJUSTABLE (35° TILT, 359° ROT.)



B1468W-WH
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)




B1461SN
ADJUSTABLE GIMBAL (40° TILT)




B1419BK
ADJUSTABLE SPOT (40° TILT)




B1433P-WH
ADJUSTABLE PINHOLE BAFFLE (15° TILT)




B1417W-WH
METAL STEPPED BAFFLE



B1426CL-WH
THE ILLUMINATOR II



B1427CL-WH
THE ILLUMINATOR



4"

Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:


Project Name:

Type:


Note:

B1477CL-WH
CROSSBLADE REFLECTOR


REFLECTOR FINISH:
 CL

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1462CL-WH
SEMI-FROSTED SHOWER TRIM


REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1452CL-WH
CLEAR LENS SHOWER TRIM


REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1437WH
SMOOTH FROST SHOWER LITE


REFLECTOR FINISH:
 CL

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1438WH
DESIGNER POINT SHOWER LITE


REFLECTOR FINISH:
 CL, RG, W, MB, CP, SN

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1439WH
SMOOTH FROST DOME SHOWER LITE


REFLECTOR FINISH:
 CL

RING FINISH:
 WH, BK, SN, CP, CH, PB, BZ

B1436WH
CYLINDER LITE



TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ


GLASS FINISH:
 WHITE, PINK, BLUE, GREEN

B1434WH
STRIPE WALL WASH LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ


GLASS FINISH:
 CRYSTAL/FROST

B1435WH
STRIPE WALL WASH LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ


GLASS FINISH:
 CRYSTAL/FROST

B1440WH-PINK
TULIP LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 TEAL, PINK, LIME, BLUE

B1441WH-LIME
DESIGNER WALL WASH LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 TEAL, PINK, LIME, BLUE

B1424WH-RED
METROPOLITAN HONEY LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, RED, WHITE, GREEN

B1420WH-GREEN
METROPOLITAN MOON LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

B1425WH-AMBER
METROPOLITAN STEP LITE


TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

B1442WH-PEACH
DESIGNER MOON LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 BLUE, PEACH, GREEN, FROSTED

B1431WH
CRYSTAL STRIPE LITE

TRIM FINISH:
 WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
 CRYSTAL/FROST


 Submittal form is available @ www.iuseelite.com
 Tel: 323-888-1973 • Fax: 323-888-1977

 Specifications and Dimensions
 subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

4" Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:

Project Name:

Type:

Note:


elite LIGHTING

B1432WH WALL WASH FROST LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
WHITE, PINK, BLUE, GREEN




B1421WH-FROSTED MINI-STEP LENS LITE



FOR
WET
LOCATION

TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
FROSTED




B1423WH-WHITE METROPOLITAN OPAL LENS LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
CRYSTAL, WHITE, FROSTED




B1430WH CRYSTAL ROSE LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
CRYSTAL




B1409WH-BLUE PYRAMID GLASS LITE




TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
TEAL, PINK, LIME, BLUE




B1469WH-BLUE DESIGNER STEP LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
BLUE, PEACH, GREEN, FROSTED




B1422WH-FROSTED METROPOLITAN ICE LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

GLASS FINISH:
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED



BAFFLE	REFLECTOR	TRIM RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	CP Copper	CH Chrome
	SN Satin Nickel	PB Polish Brass
		BZ Bronze

*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.