

6" Low Voltage Downlight

Architectural


Catalog Number:

Project Name:	
----------------------	--

Type:	
-------	--

Note:

MAXILUME
ARCHITECTURAL LIGHTING



A. Height = 7-1/2"

B. Trim Aperture = 6"

C. Cut-out = 6-1/2"

D. Trim Outside Diameter = 7-1/4"

E. Width = 7"

F. Length = 10"

DESCRIPTION

1. REFLECTOR - 16 gauge aluminum.

2. TRIM - All die-cast aluminum. Can take up to 2 optical accessories.

3. COVER LENS - High temperature tempered glass.

4. SOCKET - Porcelain bi-pin socket.

5. MOUNTING BRACKET - Is constructed from 16-gauge steel and is supplied with C-channels that are adjustable up to 26".

6. JUNCTION BOX - UL listed for through-branch circuit wiring. Junction Box is accessible from below, no tools required.

7. MOUNTING FRAME - Non-IC Insulation must be kept 3" away from fixture sides and wiring compartments, and must be placed above fixture in a manner which will entrap heat.

**H6LV- ITEM SELECTOR:** (Please check the boxes below for the option desired)

WATTAGE	BALLAST	VOLTAGE	TRIM TYPE & DESCRIPTION		BAFFLE	REFLECTOR	TRIM RING
☐ 50W MR16	☐ (M) Magnetic	☐ 120	☐ B1601	☐ B1621	☐ W	☐ CL	☐ WH
☐ 75W MR16	☐ (E) Electronic	☐ 277	☐ B1607	☐ B1619	☐ P	☐ RG	☐ BK
☐ 50W PAR36	☐ (TOR) Toroidal*		☐ B1627	☐ B1663	☐ SN	☐ W	☐ SN
	<i>*Toroidal = Available only in 120V</i>		☐ B1605	☐ B1673	☐ CP	☐ MB	☐ CP
			☐ B1608	☐ B1683	☐ BZ	☐ CP	☐ CH
			☐ B1606	☐ B1643		☐ SN	☐ PB
		AIR-SHUT	☐ B1602	☐ B1644			☐ BZ
		☐ AT	☐ B1651	☐ B1642			
			☐ B1661	☐ B1624			
			☐ B1656	☐ B1625			
			☐ B1645				
			☐ B1620				

Specifications:

H6LV

WATT

BALLAST

VOLTAGE

TRIM TYPE

REFLECTOR

BAFFLE

RING

BAFFLE	REFLECTOR	TRIM RING
W White	CL Chrome	WH White
P Black	RG Gold	BN Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	CP Copper	CH Chrome
	SN Satin Nickel	PB Polish Brass
		BZ Bronze

Sample of Catalog Number: **H6LV-50W MR16-120-B1607-W-WH**

MAXI LUME
ARCHITECTURAL LIGHTING

A division of
Elite Lighting

Submittal form is available @ **www.maxilume.com**
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

MAX-SPECS 2011-03-08

6" Low Voltage Optics

Catalog Number:


Project Name:

Type:


Note:

MAXILUME
ARCHITECTURAL LIGHTING


B1601W-WH
ADJUSTABLE SPOT (30° TILT)




B1607CP-CP
STEPPED BAFFLE (30° TILT)




B1627RG-WH
MR16 REFLECTOR (30° TILT)




B1605WH
SURFACE ADJUSTABLE (90° TILT)




B1608WH
SURFACE ADJUSTABLE (75° TILT)




B1606BK
SURFACE ADJUSTABLE (45° TILT)




B1602WH
SLOT APERTURE (30° TILT)




B1603P-WH
PINHOLE BAFFLE




B1651P-WH
STEPPED BAFFLE




B1661W-WH
ADJUSTABLE EYEBALL




B1656CL-WH
REFLECTOR (30° TILT)




B1645RG-WH
REFLECTOR (30° TILT)




B1620WH
SEMI FROSTED SHOWER TRIM (30° TILT)




B1621P-WH
ADJUSTABLE SPOT (90° TILT)



B1619W-WH
ADJUSTABLE SPOT (30° TILT)



B1663CP
PAR36 GIMBAL RING



6" Low Voltage Optics

Catalog Number:


Project Name:

Type:

Note:

MAXILUME
ARCHITECTURAL LIGHTING


B1673P-WH
PAR36 BAFFLE WITH GIMBAL RING



BAFFLE FINISH:
W, P, SN, CP, BZ

TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1683RG-WH
PAR36 REFLECTOR WITH GIMBAL RING



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1643P-WH
BAFFLE WALL WASH



BAFFLE FINISH:
W, P, SN, CP

TRIM FINISH:
WH


B1644RG-WH
REFLECTOR WALL WASH



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

TRIM FINISH:
WH


B1642RG-WH
REFLECTOR (30° TILT)



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN, BZ, SHZ

TRIM FINISH:
WH

B1624PEACH-WH
METROPOLITAN GLASS



GLASS FINISH:
BLUE, PINK, AMBER, WHITE, CRYSTAL, GREEN

TRIM FINISH:
WH

B1625BLUE-WH
METROPOLITAN STEPPED GLASS



GLASS FINISH:
BLUE, PINK, AMBER, WHITE, CRYSTAL, GREEN

TRIM FINISH:
WH

BAFFLE	REFLECTOR	TRIM RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	CP Copper	CH Chrome
	SN Satin Nickel	PB Polish Brass
		BZ Bronze

*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.