

EXITA SERIES

EMERGENCY LIGHTING
EXITA-2230



The EXITA-2230 is the Thermoplastic Running Man Sign Combo exit light from ERALUX. This exit light comes standard for mounting either on ceiling, wall or even for side installations. It also comes standard with three pictograms that can be changed in the field to offer versatility to the installation process.

Project: _____

Qty: _____

Notes: _____

OPERATING & ELECTRICAL

Input Voltage

120-347Vac

Max Input Current

80mA

APPLICATION CONDITION

Ambient temperature range

0 to 40°C

PERFORMANCE

CCT

5700-7200K

Power consumption

4.5 W

Run Time on Battery

120 min

COMPATIBLE MOUNTING

Installation

Surface, Wall or End installation

WARRANTY

System warranty

2 years

Recommended Battery replacement

4 years

MECHANICAL & HOUSING

Housing

UV Stabilized Thermoplastic

Finish

White

Power Supply


Factory wired electronic

LED driver

APPROVALS

UL Certified to C22.2 #141

DIMENSIONS



F2230CAC

FIXTURE FAMILY


F2230CA

ERALUX emergency exit sign




VERSATILITY


Wall Mounting



Side Mounting



Ceiling Mounting



ERALUX Inc.
1-514-447-7598 | 1-630-534-2589
www.eralux.com

OVERVIEW



Input: AC120-347V/60Hz
Input Power: 4.5W
Emergency Power: 3W
CCT: 5700-7200K
 Overcharge/Over-discharge protection

Emergency Duration: ≥ 2 Hours
Recharge Time: ≤ 24 Hours
 High performance, Ni-Cad Battery Test Switch


Housing Material: UV Stabilized Thermoplastic
Universal Mounting: Ceiling, wall, end mount
 Suitable for Damp location

CONFIGURATIONS

Single or Double Face
 Comes standard with 3 pictograms:



French Version for
Quebec Market



ERALUX Inc.
 1-514-447-7598 | 1-630-534-2589
www.eralux.com