



### Nylon Wallplates

Our line of nylon wallplates features larger standard sized wallplates to provide extra coverage to hide rough box opening, improved aesthetics, greater strength, impact resistance, along with excellent cleanability in all different types of environments.

- Standard size is 1/8 inch larger to give you extra coverage to hide rough box openings. Also available in mid-size and pre-marked.
- Curved corners for improved aesthetics, for use in any application.
- Reinforcement ribs for extra strength.
- Captive screw feature holds mounting screw in place for quick and easy installation.
- High-impact, self-extinguishing nylon material, which is virtually unbreakable.
- Smooth, easy to clean finish is highly resistant to solvents and cleaning solutions, providing long life in the harshest environments.

Hubbell's standard sized wallplates are 1/8 inch larger to provide you that extra coverage to hide rough box openings. The depth is 1/4 inch so that it will comfortably fit over the device even on imperfect installations or on retrofit work.


### Nylon Wallplates



### Nylon Pre-Marked Wallplates



### Metal Wallplates



### Pre-Marked





## Blank Wallplates, Box Mount and Strap Mount

| Description                                                                        | Color        | Nylon Standard | Nylon Mid-Size | Material      | Metal Catalog Number |
|------------------------------------------------------------------------------------|--------------|----------------|----------------|---------------|----------------------|
|    | Almond       | <b>NP13AL</b>  | <b>NPJ13AL</b> | Aluminum      | <b>SA13A</b>         |
|                                                                                    | Black        | <b>NP13BK</b>  | <b>NPJ13BK</b> | Brass         | <b>SB13</b>          |
|                                                                                    | Brown        | <b>NP13</b>    | <b>NPJ13</b>   | Brass Plated  | <b>SBP13</b>         |
|                                                                                    | Gray         | <b>NP13GY</b>  | <b>NPJ13GY</b> | Chrome        | <b>SCH13</b>         |
|                                                                                    | Ivory        | <b>NP13I</b>   | <b>NPJ13I</b>  | S/S 302/304   | <b>SS13</b>          |
|                                                                                    | Light Almond | <b>NP13LA</b>  | <b>NPJ13LA</b> | S/S 430       | <b>SS13L</b>         |
|                                                                                    | Office White | <b>NP13OW</b>  | <b>NPJ13OW</b> | Steel, Almond | <b>SP14BAL*</b>      |
|                                                                                    | White        | <b>NP13W</b>   | <b>NPJ13W</b>  | Steel, Gray   | <b>SP14BG*</b>       |
|    | Almond       | <b>NP23AL</b>  | <b>NPJ23AL</b> | Aluminum      | <b>SA23</b>          |
|                                                                                    | Black        | <b>NP23BK</b>  | —              | Brass         | <b>SB23</b>          |
|                                                                                    | Brown        | <b>NP23</b>    | <b>NPJ23</b>   | Brass Plated  | ①                    |
|                                                                                    | Gray         | <b>NP23GY</b>  | —              | Chrome        | <b>SCH23</b>         |
|                                                                                    | Ivory        | <b>NP23I</b>   | <b>NPJ23I</b>  | S/S 302/304   | <b>SS23</b>          |
|                                                                                    | Light Almond | <b>NP23LA</b>  | <b>NPJ23LA</b> | S/S 430       | <b>SS23L</b>         |
|                                                                                    | White        | <b>NP23W</b>   | <b>NPJ23W</b>  | Steel, Almond | <b>SP24BAL*</b>      |
|                                                                                    |              |                |                | Steel, Gray   | <b>SP24BG*</b>       |
|    | Brown        | <b>NP33</b>    | —              | Aluminum      | ①                    |
|                                                                                    | Ivory        | <b>NP33I</b>   | —              | Brass         | ①                    |
|                                                                                    | White        | <b>NP33W</b>   | —              | Brass Plated  | ①                    |
|                                                                                    |              |                |                | Chrome        | ①                    |
|                                                                                    |              |                |                | S/S 302/304   | <b>SS33</b>          |
|                                                                                    |              |                |                | S/S 430       | —                    |
|    | Brown        | <b>NP43</b>    | —              | Aluminum      | ①                    |
|                                                                                    | Ivory        | <b>NP43I</b>   | —              | Brass         | ①                    |
|                                                                                    | White        | <b>NP43W</b>   | —              | Brass Plated  | ①                    |
|                                                                                    |              |                |                | Chrome        | ①                    |
|                                                                                    |              |                |                | S/S 302/304   | <b>SS43</b>          |
|                                                                                    |              |                |                | S/S 430       | —                    |
|  | Black        | <b>NP14BK</b>  | —              | Aluminum      | ①                    |
|                                                                                    | Brown        | <b>NP14</b>    | —              | Brass         | <b>SB14</b>          |
|                                                                                    | Gray         | <b>NP14GY</b>  | —              | Brass Plated  | ①                    |
|                                                                                    | Ivory        | <b>NP14I</b>   | —              | Chrome        | ①                    |
|                                                                                    | Office White | <b>NP14OW</b>  | —              | S/S 302/304   | <b>SS14</b>          |
|                                                                                    | Red          | <b>NP14R</b>   | —              | S/S 430       | <b>SS14L</b>         |
|                                                                                    | White        | <b>NP14W</b>   | —              | Steel, Almond | <b>SP14AL*</b>       |
|                                                                                    |              |                |                | Steel, Gray   | <b>SP14G*</b>        |
|  | Black        | <b>NP24BK</b>  | —              | Aluminum      | ①                    |
|                                                                                    | Brown        | <b>NP24</b>    | —              | Brass         | ①                    |
|                                                                                    | Gray         | <b>NP24GY</b>  | —              | Brass Plated  | ①                    |
|                                                                                    | Ivory        | <b>NP24I</b>   | —              | Chrome        | ①                    |
|                                                                                    | Office White | <b>NP24OW</b>  | —              | S/S 302/304   | <b>SS24</b>          |
|                                                                                    | Red          | <b>NP24R</b>   | —              | S/S 430       | <b>SS24L</b>         |
|                                                                                    | White        | <b>NP24W</b>   | —              | Steel, Almond | <b>SP24AL*</b>       |
|                                                                                    |              |                |                | Steel, Gray   | <b>SP24G*</b>        |
|  | Brown        | <b>NP34</b>    | —              | Aluminum      | ①                    |
|                                                                                    | Ivory        | <b>NP34I</b>   | —              | Brass         | ①                    |
|                                                                                    | White        | <b>NP34W</b>   | —              | Brass Plated  | ①                    |
|                                                                                    |              |                |                | Chrome        | ①                    |
|  | Brown        | <b>NP44</b>    | —              | S/S 302/304   | <b>SS34</b>          |
|                                                                                    | Ivory        | <b>NP44I</b>   | —              | S/S 430       | —                    |
|                                                                                    | White        | <b>NP44W</b>   | —              | Steel, Almond | <b>SP34AL*</b>       |
|                                                                                    |              |                |                |               |                      |
|                                                                                    |              |                |                |               |                      |

Note: All standard and mid-size nylon wallplates feature pre-inserted captive screws for faster assembly, up to 6-gang.

①Available as a custom wallplate, see pages N-32 to N-36. Consult custom wallplates section for additional openings and combinations.

\*Powder coat paint finish.



### Specifications

#### Listings

|                     |                                                                                |
|---------------------|--------------------------------------------------------------------------------|
| Non-Metallic Plates | UL Standard 514D.                                                              |
| Metallic Plates     | UL Standard 514D.                                                              |
| Certification       | UL Files #E31999, E92074.<br>CSA Standard C22.2 No. 42.1.<br>CSA File 1733174. |

#### Nylon Plate

|                       |                                     |
|-----------------------|-------------------------------------|
| Thickness             | .06 in. (1.5).                      |
| Mounting Screw(s)     | Steel (painted slotted screw head). |
| Feature               | Captive mounting screw hole.        |
| Operating Temperature | -40°C to 85°C.                      |
| Appearance            | Smooth.                             |

#### 302/304 Stainless Steel (18% Chromium, 8% Nickel) Plate

|                   |                                                                           |
|-------------------|---------------------------------------------------------------------------|
| Thickness         | .035 in. (0.9) nominal.                                                   |
| Mounting Screw(s) | 302/304 stainless steel (18% chromium, 8% nickel).<br>Slotted screw head. |
| Appearance        | Horizontal brushed finish.                                                |

#### 430 Stainless Steel (17% Chromium, less than 0.5% Nickel) Plate

|                   |                                                                                       |
|-------------------|---------------------------------------------------------------------------------------|
| Thickness         | .035 in. (0.9) nominal.                                                               |
| Mounting Screw(s) | 302/304 stainless steel (17% chromium, less than 0.5% nickel).<br>Slotted screw head. |
| Appearance        | Horizontal brushed finish.                                                            |

#### Brass (70% Copper, 30% Zinc) Plate

|                   |                                                   |
|-------------------|---------------------------------------------------|
| Thickness         | .04 in. (1.0).                                    |
| Mounting Screw(s) | Brass (70% Copper, 30% Zinc). Slotted screw head. |
| Appearance        | Horizontal brushed finish.                        |

#### Aluminum Plate

|                   |                                                                                       |
|-------------------|---------------------------------------------------------------------------------------|
| Thickness         | .05 in. (1.3).                                                                        |
| Mounting Screw(s) | 302/304 stainless steel (17% chromium, less than 0.5% nickel).<br>Slotted screw head. |
| Appearance        | Horizontal brushed finish.                                                            |

#### Brass Plated Steel Plate

|                   |                                        |
|-------------------|----------------------------------------|
| Thickness         | .03 in. (0.8) nominal.                 |
| Mounting Screw(s) | Brass slotted head.                    |
| Appearance        | Polished, coated to inhibit oxidation. |

#### Chrome Plated Steel Plate




|                   |                                                                                       |
|-------------------|---------------------------------------------------------------------------------------|
| Thickness         | .03 in. (0.8) nominal.                                                                |
| Mounting Screw(s) | 302/304 stainless steel (17% chromium, less than 0.5% nickel).<br>Slotted screw head. |
| Appearance        | Polished, coated to inhibit oxidation.                                                |

#### Steel Painted Plate

|                   |                                     |
|-------------------|-------------------------------------|
| Thickness         | .03 in. (0.8) nominal.              |
| Mounting Screw(s) | Steel (painted slotted screw head). |
| Appearance        | Powder coat paint.                  |




### Product Dimensions

|                                                                                    | Size   | Standard Metal |                | Painted Metal  | Size   | Jumbo Metal    |               |
|------------------------------------------------------------------------------------|--------|----------------|----------------|----------------|--------|----------------|---------------|
|                                                                                    |        | Height         | Width          | Width          |        | Height         | Width         |
|   | 1-Gang | 4.50" (114.3)  | 2.87" (72.9)   | 2.75" (69.8)   | 1-Gang | 5.25" (133.4)  | 3.50" (88.9)  |
|                                                                                    | 2-Gang | 4.50" (114.3)  | 4.60" (116.8)  | 4.56" (115.8)  | 2-Gang | 5.25" (133.4)  | 5.31" (134.9) |
|                                                                                    | 3-Gang | 4.50" (114.3)  | 6.41" (162.8)  | 6.38" (162.1)  |        |                |               |
|                                                                                    | 4-Gang | 4.50" (114.3)  | 8.22" (208.8)  | 8.18" (207.8)  |        |                |               |
|                                                                                    | 5-Gang | 4.50" (114.3)  | 10.03" (254.8) | 10.00" (254.0) |        |                |               |
|                                                                                    | 6-Gang | 4.50" (114.3)  | 11.81" (300.0) | 11.81" (300.0) |        |                |               |
|                                                                                    | 7-Gang | 4.50" (114.3)  | 13.68" (347.5) |                |        |                |               |
|                                                                                    | 8-Gang | 4.50" (114.3)  | 15.44" (392.1) |                |        |                |               |
|                                                                                    | Size   | Standard Nylon |                |                | Size   | Mid-Size Nylon |               |
|                                                                                    |        | Height         | Width          |                |        | Height         | Width         |
|   | 1-Gang | 4.63" (117.6)  | 2.88" (73.2)   |                | 1-Gang | 4.88" (124.0)  | 3.13" (79.5)  |
|                                                                                    | 2-Gang | 4.63" (117.6)  | 4.69" (119.1)  |                | 2-Gang | 4.88" (124.0)  | 4.94" (125.4) |
|                                                                                    | 3-Gang | 4.63" (117.6)  | 6.50" (165.1)  |                | 3-Gang | 4.88" (124.0)  | 6.75" (171.5) |
|                                                                                    | 4-Gang | 4.63" (117.6)  | 8.31" (211.1)  |                | 4-Gang | 4.88" (124.0)  | 8.56" (217.4) |
|                                                                                    | 5-Gang | 4.63" (117.6)  | 10.12" (256.1) |                |        |                |               |
|                                                                                    | 6-Gang | 4.63" (117.6)  | 11.93" (303.0) |                |        |                |               |
|                                                                                    | Size   | Snap-On Nylon  |                |                |        |                |               |
|                                                                                    |        | Height         | Width          |                |        |                |               |
|  | 1-Gang | 4.68" (118.9)  | 2.94" (74.7)   |                |        |                |               |
|                                                                                    | 2-Gang | 4.68" (118.9)  | 4.75" (120.7)  |                |        |                |               |
|                                                                                    | 3-Gang | 4.68" (118.9)  | 6.56" (166.6)  |                |        |                |               |
|                                                                                    | 4-Gang | 4.68" (118.9)  | 8.37" (212.6)  |                |        |                |               |
|                                                                                    | 5-Gang | 4.68" (118.9)  | 10.18" (258.6) |                |        |                |               |
|                                                                                    | 6-Gang | 4.68" (118.9)  | 11.99" (304.5) |                |        |                |               |

### Wallplate Openings and Mounting Dimensions

#6-32 Oval Head Screws Typical



Note: Specifications are subject to change without notice.