

# Hubbell SystemOne Non-Metallic Floor Box







|                                                                                                                                                                                                                                               |                                                                                   |                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>S1PFB</b><br><b>Round Multi-Service PVC Floor Box</b><br>Features (2) 1 1/2" hubs for low voltage and (2) 1" hubs for power. Includes concrete cover and a variety of reducers and closure plugs that allow a full range of conduit sizes. |  | Min. Depth of Pour<br><br>Capacity<br><br>Diameter (External)<br>Diameter (Internal)<br>Height<br>Hubs<br>Conduit Selection | Ranges from 3" to 5" depending on application. See sub-plates below for details.<br>100 cubic inches prior to cutting level to floor (19.5 cubic inches per inch of depth).<br>5.75"<br>5.00"<br>6.00"<br>(2) 1 1/2" and (2) 1" conduit hubs<br>Accepts 3/4", 1", 1 1/4", 1 1/2" schedule 40 and schedule 80 rigid PVC conduit and E.N.T. (electrical non-metallic tubing). |
| <b>S1DIV1</b><br><b>Side by Side Divider</b><br>Required for use with catalog number S1SP (Style Line®/GFCI) sub-plate when used in multi-service applications. All other sub-plates include the appropriate dividers.                        |  |                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                             |

## Hubbell SystemOne Universal Covers

|                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Universal, Cast Aluminum Carpet Flange &amp; Cover Assembly</b><br><b>Catalog Number</b><br><b>S1CFCBRS</b> Brass<br><b>S1CFCAL</b> Aluminum<br><b>S1CFCBL</b> Black<br><b>S1CFCGY</b> Gray<br><b>S1CFCI</b> Ivory<br> | <b>Universal, Cast Aluminum Tile Flange &amp; Cover Assembly</b><br><b>Catalog Number</b><br><b>S1TFCBRS</b> Brass<br><b>S1TFCAL</b> Aluminum<br><b>S1TFCBL</b> Black<br><b>S1TFCGY</b> Gray<br><b>S1TFCI</b> Ivory<br> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

■ Cast aluminum construction  
■ Powder coat finish

## Sub-Plates

|                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Catalog Number</b><br><b>S1SP</b> <b>Style Line/GFCI</b><br>(2) Style Line openings for power and/or datacom applications.                                                             | <b>Catalog Number</b><br><b>S1SP4X4</b> <b>Hubbell 4 X 4</b><br>(4) 20A, 125V receptacles. (4) Keystone openings for Hubbell jacks or flush A/V connectors.                        | <b>Catalog Number</b><br><b>S1SPTL</b> <b>Twist-Lock® + Data</b><br>20 or 30 Amp TL rec. (1.56" OD). (2) Keystone openings for Hubbell jacks or flush A/V connectors.                                                                                                                 |
| <b>S1SP4IM</b> <b>Hubbell Datacom</b><br>1 unit flush INFIneSTATION™ opening. 3 unit recessed INFIneSTATION opening for data, voice, and A/V applications. (See back cover for details)  | <b>S1SP3IM</b> <b>Hubbell A/V + Power</b><br>(1) 20A, 125V receptacle. 3 unit recessed INFIneSTATION opening for data, voice, and A/V applications. (See back cover for details)  | <b>S1SPFFBRS</b> Brass <b>Furniture</b><br><b>S1SPFFAL</b> Alum. <b>Feed Cover/</b><br><b>S1SPFFBL</b> Black <b>Flange</b><br><b>S1SPFFGY</b> Gray<br>(1) 3/4" & (1) 1 1/2" KOs for power and/or datacom applications. <b>Universal Cover not required. Includes carpet flange.</b>  |
| <b>S1SPEXT1</b> <b>Extron® MAAP + Power</b><br>(1) 20A, 125V receptacle. Recessed opening for (3) single Extron MAAP Series adapter plates.                                              | <b>S1SPEXT2</b> <b>Extron AAP + Power</b><br>(1) 20A, 125V receptacle. Recessed opening for (1) single Extron MAAP and (2) single AAP Series adapter plates.                      | <b>S1SPEXT3</b> <b>Extron Datacom</b><br>Recessed opening for (2) single Extron MAAP and (2) single AAP Series adapter plates.                                                                                                                                                       |
| <b>S1SPORT</b> <b>Ortronics Series II® + Power</b><br>(1) 20A, 125V receptacle. Recessed opening for (3) 1 unit Ortronics Series II modules.                                             | <b>S1SPTRAC</b> <b>Ortronics TracJack® + Power</b><br>(1) 20A, 125V receptacle. Recessed bezel for (6) Ortronics TracJack modules.                                                | <b>S1SPMAX</b> <b>Siemon MAX® + Power</b><br>(1) 20A, 125V receptacle. Recessed bezel for (6) Siemon MAX modules.                                                                                                                                                                    |
| <b>S1SP4X4PA</b> <b>Panduit Mini-Com® 4 X 4</b><br>(4) 20A, 125V receptacles (4) Openings for Panduit Mini-Com Connectivity.                                                             | <b>S1SP4X4SYS</b> <b>SYSTIMAX® 4 X 4</b><br>(4) 20A, 125V receptacles. (4) Openings for SYSTIMAX Connectivity.                                                                    |                                                                                                                                                                                                                                                                                                                                                                           |

○ Signifies minimum depth of concrete pour in inches for Hubbell SystemOne S1PFB Floor Box.

## Flush Round Single or Multi-Service Non-Metallic Floor Box

Catalog Number

### PFB1 Round Single or Low Capacity Multi-Service PVC Floor Box

Features (2) 1" and (2) 3/4" conduit hubs. Includes concrete cover and four dual purpose reducer/closure plugs. (2) 1" plugs close off 1" hub or reduce 1" to 3/4". (2) 3/4" plugs close off 3/4" hub or reduce 3/4" to 1/2".



Min. Depth of Pour Capacity

Diameter (External)  
Diameter (Internal)  
Height  
Hubs  
Conduit Selection

3.00"  
100 cubic inches prior to cutting level to floor (19.5 cubic inches per inch of depth).  
5.75"  
5.00"  
6.00"  
(2) 1" and (2) 3/4" conduit hubs  
Accepts 1/2", 3/4", 1" schedule 40 and schedule 80 rigid PVC conduit and E.N.T. (electrical non-metallic tubing). Use catalog number PFBYA1 3/4" "Y" adapter to feed parallel runs of 3/4" conduit.

### PFBA1A Adapter

Required for all applications.



### PFBT1A Low Voltage Divider

Required for use with catalog number PFB1 when used in multi-service applications. Accepts Hubbell standard duplex receptacles or 15A Twist-Lock duplex receptacles (HBL4700 series).



### PFBYA1 "Y" Adapter

3/4" "Y" adapter to feed parallel runs of 3/4" conduit.

## Flush Round Floor Box Covers and Flanges

### Multi-Service Cover and Flange Assemblies

Includes floor box cover with duplex flaps, (2) 1/2" dia. low voltage feed through holes and matching carpet flange.

SF39253A



Brass

PFBCBRA



Brown Plastic

PFBCIA



Ivory Plastic

PFBCGYA



Gray Plastic

PFBCBKA



Black Plastic

### Single Service Covers

Brass  
Aluminum

S3925  
SA3925



Duplex  
Flap

S3725  
SA3725



Duplex  
Screw

S2525  
SA2525



2 1/8" x 3/4"  
Combination

S2725  
SA2725



2 1/8" x 1"  
Combination

S2925  
SA2925



2 1/8" Single  
Receptacle

S3525  
SA3525



2 3/8" Single  
Receptacle

S3325  
—



2 1/8" Single  
Receptacle  
(Terrazzo Floor)

### Metal Carpet Flange

Use with single service covers for carpet applications.

S3082



Brass

### Adapter Ring

Use with single service covers for tile applications.

S5016



Brass

SA5016



Aluminum

### Furniture Feed Plate

PFBP1



Steel

### One Piece Cover and Carpet Flange

Brass

SF3925\*



Duplex  
Flap

SF2525\*



2 1/8" x 3/4"  
Combination

SF2725\*



2 1/8" x 1"  
Combination


SF2925\*



2 1/8" Single  
Receptacle

\* Catalog number S5016 adapter ring is required for mounting SF series covers onto PFBA1A.

## Flush Round Single Service Floor Boxes

| Box Material                                                                      |        | Cast Iron                                                                         |          |                                                                                   |        | Stamped Steel                                                                       |                 |
|-----------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|-----------------|
| Collar Material                                                                   |        |                                                                                   |          |                                                                                   |        |                                                                                     |                 |
| Brass                                                                             | B2536  | B253641                                                                           | B2506    | B2506415                                                                          | B2537  | B2527                                                                               | B2529           |
| Aluminum                                                                          | BA2536 | —                                                                                 | —        | —                                                                                 | BA2537 | BA2527                                                                              | BA2529          |
|  |        |  |          |  |        |  |                 |
| Min. Depth of Pour                                                                | 3.75"  | 3.75"                                                                             | 4.75"    | 4.75"                                                                             | 3.00"  | 4.00"                                                                               | 3.00"           |
| Adjustability<br>(Fully, Semi, Non)                                               | Fully  | Fully                                                                             | Fully    | Fully                                                                             | Fully  | Fully                                                                               | Fully           |
| Before Pour External<br>Height Adjustment                                         | 1.25"  | 1.25"                                                                             | —        | —                                                                                 | 1.25"  | 1.25"                                                                               | 1.25"           |
| After Pour Internal Height<br>Adjustment                                          | .38"   | .38"                                                                              | .63"     | .63"                                                                              | .38"   | .38"                                                                                | .38"            |
| Cubic Inch Capacity                                                               | 33.00  | 33.00                                                                             | 50.80    | 50.80                                                                             | 33.00  | 54.00                                                                               | 37.30           |
| Dimensions - A                                                                    | 4.19"  | 4.19"                                                                             | 4.19"    | 4.19"                                                                             | 4.19"  | 4.19"                                                                               | 4.19"           |
| Dimensions - B                                                                    | 3.09"  | 3.09"                                                                             | 4.75"    | 4.75"                                                                             | 2.81"  | 3.88"                                                                               | 2.91"           |
| Threaded Hub Sizes                                                                | (4) ¾" | (4) 1"                                                                            | (4) 1 ¼" | (4) 1 ½"                                                                          | (4) ¾" | —                                                                                   | —               |
| Knockouts - Opposite Sides                                                        | —      | —                                                                                 | —        | —                                                                                 | —      | (1) 1" & (1) ¾"                                                                     | (2) ½" & (1) ¾" |
| Knockouts - Opposite Ends                                                         | —      | —                                                                                 | —        | —                                                                                 | —      | (1) 1 ¼" & (1) ¾"                                                                   | (1) ½" & (1) ½" |
| Knockouts - Bottom                                                                | —      | —                                                                                 | —        | —                                                                                 | —      | (3) ½" & (2) ¾"                                                                     | (3) ½" & (2) ¾" |

## Flush Round Single Service Floor Boxes

### Single Service Covers

|                                                                                     |        |                                                                                     |        |                                                                                     |        |                                                                                     |       |
|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|-------|
| Brass                                                                               | S3925  | S3725                                                                               | S2525  | S2725                                                                               | S2925  | S3525                                                                               | S3325 |
| Aluminum                                                                            | SA3925 | SA3725                                                                              | SA2525 | SA2725                                                                              | SA2925 | SA3525                                                                              | —     |
|  |        |  |        |  |        |  |       |
| Duplex Flap                                                                         |        | Duplex Screw                                                                        |        | 2 ⅛" x ¾" Combination                                                               |        | 2 ⅛" x 1" Combination                                                               |       |
|                                                                                     |        |                                                                                     |        | 2 ⅛" Single Receptacle                                                              |        | 2 ⅜" Single Receptacle                                                              |       |
|                                                                                     |        |                                                                                     |        |                                                                                     |        | 2 ⅛" Single Receptacle (Terrazzo Floor)                                             |       |


### Carpet Flanges

|                                                                                     |       |                                                                                     |       |                                                                                       |       |
|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|-------|
| 5 ¼" Diameter                                                                       | S3182 | SA3182                                                                              | S3079 | Carpet Flange<br>6 ¼" Diameter                                                        | S3082 |
|  |       |  |       |   |       |
| Brass                                                                               |       | Aluminum                                                                            |       | Clear Polycarbonate                                                                   |       |
|                                                                                     |       |                                                                                     |       |  |       |
|                                                                                     |       |                                                                                     |       | Brass                                                                                 |       |

### One Piece Cover and Carpet Flange

|       |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Brass | SF3925                                                                              | SF2525                                                                              | SF2725                                                                               | SF2925                                                                                |
|       |  |  |  |  |
|       | Duplex<br>Flap                                                                      | 2 1/8" x 3/4"<br>Combination                                                        | 2 1/8" x 1"<br>Combination                                                           | 2 1/8" Single<br>Receptacle                                                           |

## Flush Rectangular Non-Metallic Floor Boxes with Non-Metallic Covers

| Number of Gangs                                                                   | 1-Gang<br>PFBRG1                                                                  | 2-Gang<br>PFBRG2                                                                  | 3-Gang<br>PFBRG3                                                                    |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| Min. Depth of Pour                                                                | 3.00"                                                                             | 3.00"                                                                             | 3.00"                                                                               |
| Cubic in. Capacity per Gang                                                       | 14.3 per 1" depth                                                                 | 14.3 per 1" depth                                                                 | 14.3 per 1" depth                                                                   |
| Dimensions – A                                                                    | 3.60"                                                                             | 6.82"                                                                             | 10.04"                                                                              |
| Dimensions – B                                                                    | 5.44"                                                                             | 8.66"                                                                             | 11.87"                                                                              |
| Dimensions – C                                                                    | 5.42"                                                                             | 5.42"                                                                             | 5.42"                                                                               |
| Dimensions – D                                                                    | 6.90"                                                                             | 6.90"                                                                             | 6.90"                                                                               |
| Dimensions – E                                                                    | 6.00"                                                                             | 6.00"                                                                             | 6.00"                                                                               |
| Dimensions – F                                                                    | 4.88"                                                                             | 8.13"                                                                             | 11.35"                                                                              |
| Dimensions – G                                                                    | 6.00"                                                                             | 6.00"                                                                             | 6.00"                                                                               |
| Hubs                                                                              | (4) 1"                                                                            | (6) 1"                                                                            | (8) 1"                                                                              |
| Reducers/Plugs                                                                    | (4) 1" to 3/4"                                                                    | (6) 1" to 3/4"                                                                    | (8) 1" to 3/4"                                                                      |


## Flush Rectangular Non-Metallic Covers and Flanges

### Required Components for Carpet Applications

Carpet Flanges – Gray

| No. of Gangs | 1-Gang<br>PFBFRGY1                                                                  | 2-Gang<br>PFBFRGY2                                                                  | 3-Gang<br>PFBFRGY3                                                                   |
|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|              |  |  |  |

Cover with Duplex and Style Line®  
Inserts - Gray  
One Required per Gang  
**PFBR826GYA**




### Required Components for Tile Applications


|                                        |                                         |
|----------------------------------------|-----------------------------------------|
| Mounting Collar                        | Cover Frame                             |
| One Required per Gang<br><b>PFBRMC</b> | One Required per Gang<br><b>PFBFRFA</b> |



Cover with Duplex and Style Line®  
Inserts - Gray  
One Required per Gang  
**PFBR826GYA**



## Flush Rectangular Non-Metallic Floor Boxes with Metal Covers

| Number of Gangs                                                                   | 1-Gang<br>PFBRG1                                                                  | 2-Gang<br>PFBRG2                                                                   | 3-Gang<br>PFBRG3                                                                    |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| Min. Depth of Pour                                                                | 3.00"                                                                             | 3.00"                                                                              | 3.00"                                                                               |
| Cubic in. Capacity per Gang                                                       | 14.3 per 1" depth                                                                 | 14.3 per 1" depth                                                                  | 14.3 per 1" depth                                                                   |
| Dimensions – A                                                                    | 3.60"                                                                             | 6.82"                                                                              | 10.04"                                                                              |
| Dimensions – B                                                                    | 5.44"                                                                             | 8.66"                                                                              | 11.87"                                                                              |
| Dimensions – C                                                                    | 5.42"                                                                             | 5.42"                                                                              | 5.42"                                                                               |
| Dimensions – D                                                                    | 6.90"                                                                             | 6.90"                                                                              | 6.90"                                                                               |
| Dimensions – E                                                                    | 6.00"                                                                             | 6.00"                                                                              | 6.00"                                                                               |
| Dimensions – F                                                                    | 4.88"                                                                             | 8.13"                                                                              | 11.35"                                                                              |
| Dimensions – G                                                                    | 6.00"                                                                             | 6.00"                                                                              | 6.00"                                                                               |
| Hubs                                                                              | (4) 1"                                                                            | (6) 1"                                                                             | (8) 1"                                                                              |
| Reducers/Plugs                                                                    | (4) 1" to 3/4"                                                                    | (6) 1" to 3/4"                                                                     | (8) 1" to 3/4"                                                                      |

## Flush Rectangular Metal Covers and Flanges

### Required Components for Carpet and Tile Applications

Adapter Frame and Grounding Lug – One Required per Gang

Brass **S5017G**  
Aluminum **SA5017G**



Adapter Collar – Gray  
One Required per Gang  
**PFBRAC**



### Covers – One Required per Gang


|          |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Brass    | <b>S3825</b>                                                                        | <b>S3625</b>                                                                        | <b>S3826</b>                                                                        | <b>S2425</b>                                                                        | <b>S2625</b>                                                                          | <b>S2825</b>                                                                          | <b>S3813</b>                                                                          |
| Aluminum | <b>SA3825</b>                                                                       | <b>SA3625</b>                                                                       | <b>SA3826</b>                                                                       | <b>SA2425</b>                                                                       | <b>SA2625</b>                                                                         | —                                                                                     | <b>SA3813</b>                                                                         |
|          |  |  |  |  |  |  |  |
|          | Duplex<br>Flap                                                                      | Duplex<br>Screw                                                                     | Style Line<br>Opening                                                               | 2 1/8" x 3/4"<br>Combination                                                        | 2 1/8" x 1"<br>Combination                                                            | 2 1/8" Single<br>Receptacle                                                           | Blank                                                                                 |

### Carpet Flanges (Not Required for Tile Applications)

#### Tapered Flange

|              |                                                                                     |                                                                                     |                                                                                       |
|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No. of Gangs | 1-Gang                                                                              | 2-Gang                                                                              | 3-Gang                                                                                |
| Brass        | <b>SB3083</b>                                                                       | <b>SB3084</b>                                                                       | <b>SB3085</b>                                                                         |
| Aluminum     | <b>SA3083</b>                                                                       | <b>SA3084</b>                                                                       | <b>SA3085</b>                                                                         |
|              |  |  |  |

## Flush Rectangular Cast Iron Floor Boxes

| Box Material                                                                     |                                                                                   |         | Cast Iron                                                                         |                      |                                                                                   |                                  |                                                                                    |                                                                                     |                                                                                     |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------------|----------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Collar Material                                                                  |                                                                                   |         |                                                                                   |                      |                                                                                   |                                  |                                                                                    |                                                                                     |                                                                                     |
| Brass                                                                            | B2436                                                                             | B243641 | B4233                                                                             | B423341              | B4333                                                                             | B433361                          | B2414                                                                              | B4214                                                                               | B4314                                                                               |
| Aluminum                                                                         | BA2436                                                                            | —       | BA4233                                                                            | —                    | BA4333                                                                            | —                                | —                                                                                  | —                                                                                   | —                                                                                   |
|  |  |         |  |                      |  |                                  |  |  |  |
| Min. Depth of Pour                                                               | 3.75"                                                                             | 3.75"   | 3.75"                                                                             | 3.75"                | 3.75"                                                                             | 3.75"                            | 2.00"                                                                              | 2.00"                                                                               | 2.00"                                                                               |
| Adjustability<br>(Fully, Semi, Non)                                              | Fully                                                                             | Fully   | Fully                                                                             | Fully                | Fully                                                                             | Fully                            | Semi                                                                               | Semi                                                                                | Semi                                                                                |
| Before Pour External<br>Height Adjustment                                        | 1.25"                                                                             | 1.25"   | 1.25"                                                                             | 1.25"                | 1.25"                                                                             | 1.25"                            | 1.25"                                                                              | 1.25"                                                                               | 1.25"                                                                               |
| After Pour Internal<br>Height Adjustment                                         | .38"                                                                              | .38"    | .63"                                                                              | .63"                 | .63"                                                                              | .63"                             | —                                                                                  | —                                                                                   | —                                                                                   |
| Cubic Inch Capacity                                                              | 33.00                                                                             | 33.00   | 36.50<br>Per<br>Gang                                                              | 36.50<br>Per<br>Gang | 34.80<br>Middle<br>36.50<br>Ends                                                  | 34.80<br>Middle<br>36.50<br>Ends | 16.00                                                                              | 16.00<br>Per<br>Gang                                                                | 16.00<br>Per<br>Gang                                                                |
| Dimensions – A                                                                   | 4.38"                                                                             | 4.38"   | 4.38"                                                                             | 4.38"                | 4.38"                                                                             | 4.38"                            | 4.38"                                                                              | 4.38"                                                                               | 4.38"                                                                               |
| Dimensions - B                                                                   | 3.19"                                                                             | 3.19"   | 3.44"                                                                             | 3.44"                | 3.44"                                                                             | 3.44"                            | 2.00"                                                                              | 2.00"                                                                               | 2.00"                                                                               |
| Dimensions - C                                                                   | 3.19"                                                                             | 3.19"   | 6.38"                                                                             | 6.38"                | 9.56"                                                                             | 9.56"                            | 3.19"                                                                              | 6.38"                                                                               | 9.56"                                                                               |
| Threaded Hub Sizes                                                               | (4) ¾"                                                                            | (4) 1"  | (6) ¾"                                                                            | (4) 1" &<br>(2) ¾"   | (8) ¾"                                                                            | (6) 1" &<br>(2) ¾"               | (2) ¾"                                                                             | (4) ¾"                                                                              | (6) ¾"                                                                              |

## Flush Rectangular Floor Box Covers and Flanges


### Covers

|          | S3825                                                                               | S3625                                                                               | S3826                                                                               | S2425                                                                               | S2625                                                                               | S2825                                                                                 | S3425                                                                                 | S3813                                                                                 |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Brass    | SA3825                                                                              | SA3625                                                                              | SA3826                                                                              | SA2425                                                                              | SA2625                                                                              | —                                                                                     | —                                                                                     | SA3813                                                                                |
| Aluminum |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|          |  |  |  |  |  |  |  |  |
|          | Duplex<br>Flap                                                                      | Duplex<br>Screw                                                                     | Style Line<br>Opening                                                               | 2 1/8" x 3/4"<br>Combination                                                        | 2 1/8" x 1"<br>Combination                                                          | 2 1/8" Single<br>Receptacle                                                           | 2 3/8" Single<br>Receptacle                                                           | Blank                                                                                 |

### Carpet Flanges

|                     | 1-Gang                                                                              | 2-Gang                                                                              | 3-Gang                                                                                |
|---------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Brass               | SB3083                                                                              | SB3084                                                                              | SB3085                                                                                |
| Aluminum            | SA3083                                                                              | SA3084                                                                              | SA3085                                                                                |
| Clear Polycarbonate | S3083                                                                               | S3084                                                                               | S3085                                                                                 |
|                     |  |  |  |

## Flush Rectangular Stamped Steel Floor Boxes

| Box Material                                                                      | Stamped Steel                                                                     |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Collar Material                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| Brass                                                                             | <b>B2431</b>                                                                      | <b>B2432</b>                                                                      | <b>B2433</b>                                                                      | <b>B2421</b>                                                                       | <b>B2422</b>                                                                        | <b>B2423</b>                                                                        |
| Aluminum                                                                          | <b>BA2431</b>                                                                     | <b>BA2432</b>                                                                     | <b>BA2433</b>                                                                     | <b>BA2421</b>                                                                      | <b>BA2422</b>                                                                       | <b>BA2423</b>                                                                       |
|  |  |  |  |  |  |  |
| Min. Depth of Pour                                                                | 3.75"                                                                             | 3.75"                                                                             | 3.75"                                                                             | 2.75"                                                                              | 2.75"                                                                               | 2.75"                                                                               |
| Adjustability<br>(Fully, Semi, Non)                                               | Fully                                                                             | Fully                                                                             | Fully                                                                             | Fully                                                                              | Fully                                                                               | Fully                                                                               |
| Before Pour External<br>Height Adjustment                                         | 1.25"                                                                             | 1.25"                                                                             | 1.25"                                                                             | 1.25"                                                                              | 1.25"                                                                               | 1.25"                                                                               |
| After Pour Internal<br>Height Adjustment                                          | .50"                                                                              | .50"                                                                              | .50"                                                                              | .50"                                                                               | .50"                                                                                | .50"                                                                                |
| Cubic Inch Capacity                                                               | 60.00                                                                             | 52.80<br>Per Gang                                                                 | 50.80<br>Per Gang                                                                 | 39.50                                                                              | 35.00<br>Per Gang                                                                   | 34.00<br>Per Gang                                                                   |
| Dimensions – A                                                                    | 4.38"                                                                             | 4.38"                                                                             | 4.38"                                                                             | 4.38"                                                                              | 4.38"                                                                               | 4.38"                                                                               |
| Dimensions - B                                                                    | 3.72"                                                                             | 3.72"                                                                             | 3.72"                                                                             | 2.74"                                                                              | 2.74"                                                                               | 2.74"                                                                               |
| Dimensions - C                                                                    | 3.19"                                                                             | 6.44"                                                                             | 9.67"                                                                             | 3.19"                                                                              | 6.44"                                                                               | 9.67"                                                                               |
| Knockouts -<br>Opposite Sides                                                     | (1) Concentric<br>¾", 1", 1 ¼"                                                    | (2) Concentric<br>¾", 1", 1 ¼"                                                    | (3) Concentric<br>¾", 1", 1 ¼"                                                    | (2) ½",<br>(1) ¾"                                                                  | (4) Concentric<br>½", ¾"                                                            | (6) Concentric<br>½", ¾"                                                            |
| Knockouts -<br>Opposite Ends                                                      | (1) Concentric<br>¾", 1", 1 ¼"                                                    | (1) Concentric<br>¾", 1", 1 ¼"                                                    | (1) Concentric<br>¾", 1", 1 ¼"                                                    | (1) ½",<br>(1) ¾"                                                                  | (2) Concentric<br>½", ¾"                                                            | (2) Concentric<br>½", ¾"                                                            |
| Knockouts -<br>Bottom                                                             | (2) Concentric<br>¾", 1", 1 ¼"                                                    | (4) Concentric<br>¾", 1", 1 ¼"                                                    | (6) Concentric<br>¾", 1", 1 ¼"                                                    | (2) Concentric<br>¾", 1", 1 ¼"                                                     | (4) Concentric<br>¾", 1", 1 ¼"                                                      | (6) Concentric<br>¾", 1", 1 ¼"                                                      |

## Flush Rectangular Floor Box Covers and Flanges

### Covers

|          | <b>S3825</b>                                                                        | <b>S3625</b>                                                                        | <b>S3826</b>                                                                        | <b>S2425</b>                                                                        | <b>S2625</b>                                                                         | <b>S2825</b>                                                                          | <b>S3425</b>                                                                          | <b>S3813</b>                                                                          |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Brass    | <b>SA3825</b>                                                                       | <b>SA3625</b>                                                                       | <b>SA3826</b>                                                                       | <b>SA2425</b>                                                                       | <b>SA2625</b>                                                                        | —                                                                                     | —                                                                                     | <b>SA3813</b>                                                                         |
| Aluminum |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|          |  |  |  |  |  |  |  |  |
|          | Duplex<br>Flap                                                                      | Duplex<br>Screw                                                                     | Style Line<br>Opening                                                               | 2 ⅛" x ¾"<br>Combination                                                            | 2 ⅛" x 1"<br>Combination                                                             | 2 ⅛" Single<br>Receptacle                                                             | 2 ⅜" Single<br>Receptacle                                                             | Blank                                                                                 |

### Carpet Flanges

|                     | 1-Gang                                                                              | 2-Gang                                                                              | 3-Gang                                                                                |
|---------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Brass               | <b>SB3083</b>                                                                       | <b>SB3084</b>                                                                       | <b>SB3085</b>                                                                         |
| Aluminum            | <b>SA3083</b>                                                                       | <b>SA3084</b>                                                                       | <b>SA3085</b>                                                                         |
| Clear Polycarbonate | <b>S3083</b>                                                                        | <b>S3084</b>                                                                        | <b>S3085</b>                                                                          |
|                     |  |  |  |