



Tools Required



Light Source



⚠ Warnings and Cautions

Turn off the electricity at the circuit breaker before installation. Consult a licensed electrician if in doubt about installation.


Turn off power to the fixture and allow the bulbs to cool before replacing.

Package Contents

Preparation: Identify and inspect all parts before beginning the installation.

Missing or damaged parts? Contact your original place of purchase.

PARTS BAG



A Crossbar Assembly
x 1




C Outlet Box Screw
x 2




D Wire Connector
x 3

B Alternate
Mounting Screw
x 2



E Fixture Body
x 1



F Glass Shade
x 1


Table of Contents

Alternate Mounting Screw



STEP 1

Crossbar Assembly




STEP 2

Glass Shade




STEP 3

Wiring



STEP 4

Fixture Body




STEP 5

Bulb



STEP 6

Caulk




STEP 7

STEP 1

OPTION 1

Standard
Mounting
Screw



Included
(Pre-assembled)

OPTION 2

Alternate
Mounting
Screw



Included




skip to next page

1

2

3

Steps 1-3 to remove standard mounting screws



4

Steps 4-6 to reassemble with alternate mounting screws

6

5

STEP 2




1

2

3

Step 1
Install crossbar assembly

Step 2 - 3
Test fitting backplate to mounting screws






STEP 3

1


2

Remove glass holder


Install glass




STEP 4



STEP 5



STEP 6



STEP 7

