



Tools Required



Light Source



Warnings and Cautions

Turn off the electricity at the circuit breaker before installation. Consult a licensed electrician if in doubt about installation.


Turn off power to the fixture and allow the bulbs to cool before replacing.

Package Contents

Preparation: Identify and inspect all parts before beginning the installation.

Missing or damaged parts? Contact your original place of purchase.

PARTS BAG




A Crossbar Assembly
x 1



B Outlet Box Screw
x 2




C Wire Connector
x 3



D Lock Ball
x 3


E Fixture Body
x 1



F Top Ring
x 1

G Bottom Ring
x 1

Note: Shade shape is for illustration purpose only. Your shade shape may vary from illustration.




H Shade (Varies according to style purchased)
x 1



I Candle Cover
x 3


Table of Contents

Unfold Arms




STEP 1

Crossbar Assembly




STEP 2

Bottom Ring




STEP 3

Shade & Top Ring




STEP 4

Wiring




STEP 5

Ceiling Canopy




STEP 6

Candle Covers & Bulbs



STEP 7


STEP 1



STEP 2


1

Step 1
Install crossbar assembly




2



Step 2 - 3
Test fitting ceiling canopy to nipple



3




STEP 3




STEP 4


Note: Shade shape is for illustration purpose only. Your shade shape may vary from illustration.



STEP 5



STEP 6



STEP 7

