


Date:	Project Name:
Type:	Part Number:



BRILLIANCE SERIES

LED SLIM ROUND DOWNLIGHT

DESCRIPTION

The RENO Lighting's LED 12W Slim Round Downlight with Regress Baffle combines a sleek design with a small aperture without any compromise to the light output. With up to 800 lumens and a CRI of 90, this small downlight provides an outstanding performance that will suit both residential and commercial applications.

FEATURES

- IC-Rated and Air-Tight ready and may be in direct contact with insulation
- May be installed in drywall or suspended ceilings
- Multi CCT
- CRI >90
- Edge-lit technology, no glare or dark spots, instant-on
- Regressed lens and Baffle Trim Design
- Flicker-free 120V forward-phase triac dimming down to 5%
- Energy-Star, JA8 compliant
- Operating temperature: -4°F to +104°F (-20°C to +40°C)
- Rated Lifetime L70(hrs): >50,000
- 5 year warranty

APPLICATIONS

-  Residential Ceiling
-  Commercial Lighting
-  Hotel lobby




Date:	Project Name:
Type:	Part Number:

SPECIFICATION

ORDER#	MODEL#	WATTS	SIZE	VOLTAGE (V)	LUMENS	BEAM ANGLE	CCT (K)	COLOR
R36015	RENO-4-S12W-5CCT-BF-WH	12W	4"	120V	800lm	120°	2700/3000/3500/4000/5000K	WHT
R36016	RENO-4-S12W-5CCT-BF-BK	12W	4"	120V	800lm	120°	2700/3000/3500/4000/5000K	BLK

ACCESSORIES

ORDER#	MODEL#	DESCRIPTION
R39101	RENO-4-GR	4" Goof Ring
R39108	RENO-MP4	Mounting Plate without clip



RENO-4-GR





RENO-MP4

Date:	Project Name:
Type:	Part Number:

DIMENSIONS

ROUND



4" Regress Downlight with Baffle

*NOTE: Width in ceiling needed for the driver to fit is 3"
Cut hole size 4-1/4" (108mm)