


Date:	Project Name:
Type:	Part Number:



SABRE SERIES

LED LINEAR STRIP

DESCRIPTION

Reno Lighting's Sabre Series is the LED Commercial Strip fixture is designed with a polycarbonate diffuser that provides impact resistance and even, low glare light. Combine this with powerful, high output LED chips, these fixtures meet today's stringent efficacy standards and bring your projects maximum energy savings.

FEATURES

- DLC Premium of the Stairwell and Passageway Luminaires
- 0-10V dimming control compatible
- Surface or Suspension Mounting options
- Operating temperature: -22°F to +122°F (-30°C to +50°C)
- Dual Voltage 120-347V
- Easy and Safe Installation
- Frosted Polycarbonate Lens
- Suitable for Damp location
- Rated Lifetime L70(hrs): >100,000
- Includes J-Box Coverplate and V-Hangers
- Multi CCT & Wattage
- 10 year warranty

APPLICATIONS

-  Parking Garage
-  Stairwell/Passageway
-  Warehouse



Date:	Project Name:
Type:	Part Number:

SPECIFICATION

ORDER#	MODEL#	WATTS	VOLTAGE (V)	CCT (K)	LUMENS	EFFICACY	CRI
R33030	RENO-LSN2-DV-MW-MCCT	15W	120-347V	3500K	2405 lm	160.3 lm/W	>80
		20W			3206 lm	160.3 lm/W	
		25W			4008 lm	160.3 lm/W	
		30W			4809 lm	160.3 lm/W	
		15W		4000K	2550 lm	170 lm/W	
		20W			3400 lm	170 lm/W	
		25W			4250 lm	170 lm/W	
		30W			5100 lm	170 lm/W	
		15W		5000K	2415 lm	161 lm/W	
		20W			3220 lm	161 lm/W	
		25W			4025 lm	161 lm/W	
		30W			4830 lm	161 lm/W	
R33018	RENO-LSN4-DV-MW-MCCT	22W	120-347V	3500K	3593 lm	163.3 lm/W	>80
		28W			4544 lm	162.3 lm/W	
		36W			5807 lm	161.3 lm/W	
		44W			7053 lm	160.3 lm/W	
		22W		4000K	3806 lm	173 lm/W	>80
		28W			4816 lm	172 lm/W	
		36W			6156 lm	171 lm/W	
		44W			7480 lm	170 lm/W	
		22W		5000K	3608 lm	164 lm/W	>80
		28W			4564 lm	163 lm/W	
		36W			5832 lm	162 lm/W	
		44W			7084 lm	161 lm/W	
R33019	RENO-LSN8-DV-MW-MCCT	48W	120-347V	3500K	7843 lm	163.4 lm/W	>80
		68W			11,043 lm	162.4 lm/W	
		90W			14,526 lm	161.4 lm/W	
		48W		4000K	8304 lm	173 lm/W	>80
		68W			11,696 lm	172 lm/W	
		90W			15,390 lm	171 lm/W	
		48W		5000K	7872 lm	164 lm/W	>80
		68W			11,084 lm	163 lm/W	
		90W			14,580 lm	162 lm/W	


Date:	Project Name:
Type:	Part Number:

DLC INFORMATION


ORDER#	MODEL#	APPLICATION	DLC	
			STANDARD	PREMIUM
R33018	RENO-LSN4-DV-MW-MCCT	Direct Linear Ambient Luminaires		-
		Stairwell and Passageway Luminaires	-	
		Low-Bay Luminaires for Commercial and Industrial Buildings	S-SHT7R4	-
R33019	RENO-LSN8-DV-MW-MCCT	Direct Linear Ambient Luminaires	S-F8KWGX	-
		High-Bay Luminaires for Commercial and Industrial Buildings	S-BD9243	-
		Stairwell and Passageway Luminaires	-	S-5H2VSL

ACCESSORIES OPTIONS

ORDER#	MODEL#	DESCRIPTION
R39501	L-BRACKET	L-Bracket for 90° Installation
R39502	I-BRACKET	I-Bracket for straight continuous Installation
R39503	RENO-LSN4-WG	LED Linear Strip Wire Guard for 4ft
R39504	RENO-LSN8-WG	LED Linear Strip Wire Guard for 8ft
R83004	RENO-EM-C08	Emergency LED Driver
R39204	RENO-RP	LED suspension kit




L-BRACKET




RENO-LSN4-WG




RENO-EM-C08



I-BRACKET



RENO-LSN8-WG



RENO-RP

Date:	Project Name:
Type:	Part Number:

RENO SMART NLC SYSTEM ACCESSORIES

ORDER#	MODEL#	DESCRIPTION
R75001	RENO-RS-JK-BPDN-12V	Bluetooth 3.5mm Jack PIR Sensor for RENO Smart NLC System
R75002	RENO-RS-JK-BMWM-12V	Bluetooth 3.5mm Jack Microwave Sensor for RENO Smart NLC System
R75102*	RENO-RS-JK-AD-L	Adjustable "L" Angle Adaptor for 3.5mm Jack Sensors
R75201	RENO-RS-GW-BCNW	Ceiling Mounted Gateway for RENO Smart NLC System
R75302	RENO-RS-RC-BNNG	7-Key Smart Wall Switch for RENO Smart NLC System
R75301	RENO-RS-RC-BNNN	5-Key Reset Remote (*Requires R75102)



RENO-RS-JK-BPDN-12V



RENO-RS-JK-BMWM-12V



RENO-RS-JK-AD-L



RENO-RS-GW-BCNW



RENO-RS-RC-BNNG



RENO-RS-RC-BNNN

Date:

Project Name:

Type:

Part Number:

STANDALONE SENSOR

ORDER#	MODEL#	DESCRIPTION
R74002	RENO-SENSOR-PIR-H-EX	For external mounting when installed above 13FT



RENO-SENSOR-PIR-H-EX

STANDALONE SENSOR REMOTES

ORDER#	MODEL#	DESCRIPTION
R73002	RENO-REMOTE-H	Controller for Bi-Level Sensor (with screen)
R73005	RENO-REMOTE-H-ECO	Remote Control for ECO LINEAR HIGHBAY/FULL CUTOFF WALLPACK/ LINEAR STRIP/VP FIXTURE (without screen)



RENO-REMOTE-H



RENO-REMOTE-H-ECO

Date:	Project Name:
Type:	Part Number:

DIMENSIONS

