



S8446

F32T8/850/XL/ENV
32 watt; T8; Fluorescent; 5000K Natural Light; 82 CRI; Medium
Bi Pin base

Features

- Long Life
- High Performance and Efficiency
- TCLP compliant
- Meets RoHS standards

Hours:

3 hrs per start 36,000 - Instant Start Ballast
12 hrs per start 42,000 - Instant Start Ballast

3 hrs per start 42,000 - Rapid Start / PRS Ballast
12 hrs per start 48,000 - Rapid Start / PRS Ballast



S8446

Item Number	Product Line	UPC	Watts	Lamp Shape	Base	ANSI Base	Lamp Code	
S8446	HyGrade	045923084461	32	T8	Medium Bi-Pin	G13	F32T8/850/XL/ENV	

MOD In Inches	MOL In Inches	Nominal Length	Initial Lumens	Average Rated Hours	Kelvin Temp	Color	Pack
1.00"	47.78"	48"	2900	36000	5000	Natural Light	30

CRI	Hg Content	CEC Status	RoHS Compliant
82	3.5 mg	CEC:California Title 20 Qualified	Yes



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051